

Participant ID <u>pid</u>	Examiner <u>compby</u>	Acrostatic <u>acrostatic</u>	V.C. <u>vc</u>
Date of Visit <u>vis_mth</u> / <u>vis_day</u> / <u>vis_yr</u>			

Blood Pressure, Radial Pulse and Weight

1. a. Arm Used (Interviewer Note: Right arm should be used as default)
- Please explain why right arm was not used:
- arm_bpwh
- 9
1 Right
2 Left
-6 Not on form

whyright_bpwh

- b. Arm Circumference arm_circ_bpwh cm

2. Cuff size

cuffsz_bpwh

-9
1 Small
2 Regular
3 Large
4 Thigh
-6 Not on form

3. Radial Pulse

- a. Measurement 1 beats per 30 seconds x 2 = radpuls1_bpwh
- b. Measurement 2 beats per 30 seconds x 2 = radpuls2_bpwh

Pulse Obliteration Level

4. Palpated Systolic palpsyst_bpwh mmHG
- * Add +30 to Palpated Systolic to obtain Maximal Inflation Level
- + 30**

5. Maximal Inflation Level [MIL] = maxinflv_bpwh mmHG

If MIL is >= 300 mmHG. Repeat the MIL. If MIL is still >= 300 mmHG, terminate blood pressure measurements.

6. Was blood pressure measurement terminated because MIL >= 300 mmHG after second reading?

bpterm_bpwh

-9
1 Yes
0 No
-6 Not on form

7. Blood Pressure

- | | Systolic | / | Diastolic |
|------------------|--------------------|---|---------------------|
| a. Measurement 1 | <u>sysbp1_bpwh</u> | / | <u>diasbp1_bpwh</u> |
| b. Measurement 2 | <u>sysbp2_bpwh</u> | / | <u>diasbp2_bpwh</u> |

8. Weight

Script: Now, let's get your weight. Please slip off your shoes (and remove your jacket, etc.) Please step on the scale.

weight_bpwh

Kilograms

9. Waist Circumference (only complete at SV1, F06, and F12)

Record Measure 1 before completing Measure 2 and only record Measure 3 if first 2 measurements are not within 0.5 cm.

- A. Measurement 1 waistcrc1_bpwh
cm
- B. Measurement 2 waistcrc2_bpwh
cm
- C. Measurement 3 waistcrc3_bpwh
cm

submit