

Variable Label=MOSTID

<i>Variable</i>	<i>Attributes</i>
Variable Name	MOSTID
Variable Number	1
Variable Type	Char

Variable Label=Acroscopic

<i>Variable</i>	<i>Attributes</i>
Variable Name	ACROSTIC
Variable Number	2
Variable Type	Char

Variable Label=Cohort

<i>Variable</i>	<i>Attributes</i>
Variable Name	COHORT
Variable Number	3
Variable Type	Num
Variable Format	COHORT

Visit=8-month/152-month

<i>COHORT</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>Original cohort</i>	1,274	100.0	0	0	1,274	46.2
<i>New cohort</i>	0	0	1,486	100.0	1,486	53.8
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>COHORT</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>Original cohort</i>	1,247	100.0	0	0	1,247	45.9
<i>New cohort</i>	0	0	1,467	100.0	1,467	54.1
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Visit

<i>Variable</i>	<i>Attributes</i>
Variable Name	VISIT
Variable Number	4
Variable Type	Num
Variable Format	VISVF

Visit=8-month/152-month

VISIT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
8-month/152-month	1,274	100.0	1,486	100.0	2,760	100.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

VISIT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
16-month/160-month	1,247	100.0	1,467	100.0	2,714	100.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: Number of months between telephone interview and telephone screening interview at enrollment

Variable	Attributes
Variable Name	V8_TIDIFF
Variable Number	5
Variable Type	Num

Visit=8-month/152-month

V8_TIDIFF	Original cohort	New cohort	Total
NMiss	0	0	0
N	1,274	1,486	2,760
Mean	8.47	8.22	8.33
Std	0.88	0.56	0.74
Min	8.00	6.00	6.00
P5	8.00	8.00	8.00
Q1	8.00	8.00	8.00
Median	8.00	8.00	8.00
Q3	9.00	8.00	9.00
P95	10.00	9.00	10.00
Max	18.00	12.00	18.00

Visit=16-month/160-month

V8_TIDIFF	Original cohort	New cohort	Total
NMiss	0	0	0
N	1,247	1,467	2,714
Mean	16.51	15.31	15.86
Std	0.90	1.36	1.31
Min	14.00	10.00	10.00
P5	16.00	13.00	13.00
Q1	16.00	15.00	16.00

(Continued)

Visit=16-month/160-month

<i>V8_TIDIFF</i>	<i>Original cohort</i>	<i>New cohort</i>	<i>Total</i>
<i>Median</i>	16.00	16.00	16.00
<i>Q3</i>	17.00	16.00	16.00
<i>P95</i>	18.00	17.00	17.00
<i>Max</i>	25.00	21.00	25.00

Variable Label=Knee Symp: Q1.Pain, aching, stiffness, RIGHT knee, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8PN30R
<i>Variable Number</i>	6
<i>Variable Type</i>	Num
<i>Variable Format</i>	YNDKX

Visit=8-month/152-month

<i>V8PN30R</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	620	48.7	827	55.7	1,447	52.4
<i>Yes</i>	654	51.3	658	44.3	1,312	47.5
<i>Dont know/Refused</i>	0	0	1	0.1	1	0.0
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8PN30R</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	601	48.2	819	55.8	1,420	52.3
<i>Yes</i>	643	51.6	647	44.1	1,290	47.5
<i>Dont know/Refused</i>	3	0.2	1	0.1	4	0.1
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Symp: Q1a.Pain, aching, stiffness, RIGHT knee, most days, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8KPN30R
<i>Variable Number</i>	7
<i>Variable Type</i>	Num
<i>Variable Format</i>	YNDK

Visit=8-month/152-month

V8KPN30R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
No	911	71.5	1,229	82.7	2,140	77.5
Yes	363	28.5	254	17.1	617	22.4
Dont know	0	0	3	0.2	3	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KPN30R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
No	873	70.0	1,219	83.1	2,092	77.1
Yes	370	29.7	246	16.8	616	22.7
Dont know	4	0.3	2	0.1	6	0.2
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT knee

Variable	Attributes
Variable Name	V8KNR
Variable Number	8
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8KNR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	0	0	3	0.2	3	0.1
No	911	71.5	1,229	82.7	2,140	77.5
Yes	363	28.5	254	17.1	617	22.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KNR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	4	0.3	2	0.1	6	0.2
No	873	70.0	1,219	83.1	2,092	77.1
Yes	370	29.7	246	16.8	616	22.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Symp: Q2.Pain, aching, stiffness, LEFT knee, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8PN30L
<i>Variable Number</i>	9
<i>Variable Type</i>	Num
<i>Variable Format</i>	YNDKX

Visit=8-month/152-month

<i>V8PN30L</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	627	49.2	832	56.0	1,459	52.9
<i>Yes</i>	643	50.5	653	43.9	1,296	47.0
<i>Dont know/Refused</i>	4	0.3	1	0.1	5	0.2
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8PN30L</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	622	49.9	794	54.1	1,416	52.2
<i>Yes</i>	622	49.9	672	45.8	1,294	47.7
<i>Dont know/Refused</i>	3	0.2	1	0.1	4	0.1
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Symp: Q2a.Pain, aching, stiffness, LEFT knee, most days, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8KPN30L
<i>Variable Number</i>	10
<i>Variable Type</i>	Num
<i>Variable Format</i>	YNDK

Visit=8-month/152-month

<i>V8KPN30L</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	923	72.4	1,249	84.1	2,172	78.7
<i>Yes</i>	346	27.2	235	15.8	581	21.1
<i>Dont know</i>	5	0.4	2	0.1	7	0.3
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KPN30L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
No	913	73.2	1,228	83.7	2,141	78.9
Yes	330	26.5	237	16.2	567	20.9
Dont know	4	0.3	2	0.1	6	0.2
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT knee

Variable	Attributes
Variable Name	V8KNL
Variable Number	11
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8KNL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	5	0.4	2	0.1	7	0.3
No	923	72.4	1,249	84.1	2,172	78.7
Yes	346	27.2	235	15.8	581	21.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KNL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	4	0.3	2	0.1	6	0.2
No	913	73.2	1,228	83.7	2,141	78.9
Yes	330	26.5	237	16.2	567	20.9
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3a.Pain, walking, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q1KR
Variable Number	12
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q1KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
None	759	59.6	1,106	74.4	1,865	67.6
Mild	333	26.1	286	19.2	619	22.4
Moderate	152	11.9	76	5.1	228	8.3
Severe	20	1.6	9	0.6	29	1.1
Extreme	7	0.5	7	0.5	14	0.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q1KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	1	0.1	4	0.1
None	735	58.9	1,096	74.7	1,831	67.5
Mild	310	24.9	280	19.1	590	21.7
Moderate	175	14.0	76	5.2	251	9.2
Severe	17	1.4	9	0.6	26	1.0
Extreme	7	0.6	5	0.3	12	0.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3b.Pain, up stairs, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8UPR
Variable Number	13
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8UPR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
None	614	48.2	889	59.8	1,503	54.5
Mild	324	25.4	356	24.0	680	24.6
Moderate	233	18.3	189	12.7	422	15.3
Severe	54	4.2	25	1.7	79	2.9
Extreme	19	1.5	17	1.1	36	1.3
Do not do	28	2.2	8	0.5	36	1.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8UPR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	3	0.2	7	0.3
None	603	48.4	866	59.0	1,469	54.1
Mild	286	22.9	364	24.8	650	23.9
Moderate	241	19.3	189	12.9	430	15.8
Severe	55	4.4	27	1.8	82	3.0
Extreme	20	1.6	9	0.6	29	1.1
Do not do	38	3.0	9	0.6	47	1.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3c.Pain, down stairs, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8DOWNR
Variable Number	14
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8DOWNR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
None	685	53.8	977	65.7	1,662	60.2
Mild	282	22.1	295	19.9	577	20.9
Moderate	217	17.0	173	11.6	390	14.1
Severe	44	3.5	21	1.4	65	2.4
Extreme	15	1.2	10	0.7	25	0.9
Do not do	28	2.2	8	0.5	36	1.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8DOWNR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	1	0.1	6	0.2
None	670	53.7	934	63.7	1,604	59.1
Mild	248	19.9	319	21.7	567	20.9
Moderate	229	18.4	181	12.3	410	15.1
Severe	45	3.6	16	1.1	61	2.2
Extreme	16	1.3	6	0.4	22	0.8

(Continued)

Visit=16-month/160-month

V8DOWNR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Do not do	34	2.7	10	0.7	44	1.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3d.Pain, in bed, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q3KR
Variable Number	15
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q3KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	4	0.3	8	0.3
None	972	76.3	1,252	84.3	2,224	80.6
Mild	186	14.6	152	10.2	338	12.2
Moderate	92	7.2	64	4.3	156	5.7
Severe	13	1.0	7	0.5	20	0.7
Extreme	7	0.5	7	0.5	14	0.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q3KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	1	0.1	6	0.2
None	954	76.5	1,243	84.7	2,197	81.0
Mild	185	14.8	141	9.6	326	12.0
Moderate	81	6.5	71	4.8	152	5.6
Severe	20	1.6	9	0.6	29	1.1
Extreme	2	0.2	2	0.1	4	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3e.Pain, sit or lie down, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q4KR
Variable Number	16
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q4KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.5	3	0.2	10	0.4
None	985	77.3	1,240	83.4	2,225	80.6
Mild	196	15.4	175	11.8	371	13.4
Moderate	78	6.1	55	3.7	133	4.8
Severe	6	0.5	9	0.6	15	0.5
Extreme	2	0.2	4	0.3	6	0.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q4KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	3	0.2	9	0.3
None	960	77.0	1,225	83.5	2,185	80.5
Mild	197	15.8	162	11.0	359	13.2
Moderate	73	5.9	70	4.8	143	5.3
Severe	9	0.7	5	0.3	14	0.5
Extreme	2	0.2	2	0.1	4	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q3f.Pain, standing, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q5KR
Variable Number	17
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q5KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	3	0.2	9	0.3
None	832	65.3	1,170	78.7	2,002	72.5
Mild	271	21.3	225	15.1	496	18.0
Moderate	135	10.6	69	4.6	204	7.4
Severe	24	1.9	14	0.9	38	1.4
Extreme	6	0.5	5	0.3	11	0.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q5KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
None	788	63.2	1,134	77.3	1,922	70.8
Mild	258	20.7	232	15.8	490	18.1
Moderate	167	13.4	82	5.6	249	9.2
Severe	22	1.8	10	0.7	32	1.2
Extreme	8	0.6	3	0.2	11	0.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: WOMAC Up/Down stairs, RIGHT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q2KR
Variable Number	18
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q2KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	28	2.2	10	0.7	38	1.4
None	561	44.0	846	56.9	1,407	51.0
Mild	324	25.4	349	23.5	673	24.4
Moderate	267	21.0	230	15.5	497	18.0
Severe	70	5.5	32	2.2	102	3.7
Extreme	24	1.9	19	1.3	43	1.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q2KR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	37	3.0	9	0.6	46	1.7
None	563	45.1	809	55.1	1,372	50.6
Mild	278	22.3	378	25.8	656	24.2
Moderate	271	21.7	222	15.1	493	18.2
Severe	74	5.9	38	2.6	112	4.1
Extreme	24	1.9	11	0.7	35	1.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: WOMAC Pain Score, RIGHT knee

Variable	Attributes
Variable Name	V8WOPNKR
Variable Number	19
Variable Type	Num

Visit=8-month/152-month

V8WOPNKR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
zero	495	38.9	761	51.2	1,256	45.5
value>0	777	61.0	723	48.7	1,500	54.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8WOPNKR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
zero	493	39.5	751	51.2	1,244	45.8
value>0	751	60.2	714	48.7	1,465	54.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Visit=8-month/152-month

V8WOPNKR	Original cohort		New cohort		Total
NMiss		2		2	4
N		1,272		1,484	2,756
Mean		2.65		1.73	2.15
Std		3.21		2.76	3.01
Min		0.00		0.00	0.00
P5		0.00		0.00	0.00
Q1		0.00		0.00	0.00
Median		1.00		0.00	1.00
Q3		4.00		3.00	3.00
P95		9.00		7.00	8.00
Max		16.00		20.00	20.00

Visit=16-month/160-month

V8WOPNKR	Original cohort		New cohort		Total
NMiss		3		2	5
N		1,244		1,465	2,709
Mean		2.72		1.74	2.19
Std		3.25		2.70	3.00
Min		0.00		0.00	0.00
P5		0.00		0.00	0.00
Q1		0.00		0.00	0.00
Median		1.25		0.00	1.00
Q3		5.00		3.00	4.00
P95		9.00		7.00	9.00
Max		16.00		20.00	20.00

Variable Label=WOMAC: Q4a.Pain, walking, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q1KL
Variable Number	20
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q1KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	5	0.3	8	0.3
None	806	63.3	1,125	75.7	1,931	70.0
Mild	275	21.6	267	18.0	542	19.6
Moderate	152	11.9	71	4.8	223	8.1
Severe	33	2.6	14	0.9	47	1.7
Extreme	5	0.4	4	0.3	9	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q1KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
None	778	62.4	1,106	75.4	1,884	69.4
Mild	273	21.9	259	17.7	532	19.6
Moderate	159	12.8	86	5.9	245	9.0
Severe	28	2.2	12	0.8	40	1.5

(Continued)

Visit=16-month/160-month

V8Q1KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Extreme	7	0.6	2	0.1	9	0.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q4b.Pain, up stairs, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8UPL
Variable Number	21
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8UPL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	6	0.4	11	0.4
None	660	51.8	916	61.6	1,576	57.1
Mild	312	24.5	360	24.2	672	24.3
Moderate	185	14.5	149	10.0	334	12.1
Severe	65	5.1	34	2.3	99	3.6
Extreme	18	1.4	13	0.9	31	1.1
Do not do	29	2.3	8	0.5	37	1.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8UPL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	4	0.3	6	0.2
None	651	52.2	886	60.4	1,537	56.6
Mild	290	23.3	351	23.9	641	23.6
Moderate	198	15.9	174	11.9	372	13.7
Severe	51	4.1	34	2.3	85	3.1
Extreme	22	1.8	9	0.6	31	1.1
Do not do	33	2.6	9	0.6	42	1.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q4c.Pain, down stairs, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8DOWNL
Variable Number	22
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8DOWNL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	5	0.3	7	0.3
None	712	55.9	984	66.2	1,696	61.4
Mild	281	22.1	307	20.7	588	21.3
Moderate	183	14.4	147	9.9	330	12.0
Severe	52	4.1	27	1.8	79	2.9
Extreme	18	1.4	8	0.5	26	0.9
Do not do	26	2.0	8	0.5	34	1.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8DOWNL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	4	0.3	7	0.3
None	706	56.6	953	65.0	1,659	61.1
Mild	253	20.3	307	20.9	560	20.6
Moderate	182	14.6	157	10.7	339	12.5
Severe	54	4.3	29	2.0	83	3.1
Extreme	18	1.4	8	0.5	26	1.0
Do not do	31	2.5	9	0.6	40	1.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q4d.Pain, in bed, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q3KL
Variable Number	23
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q3KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.5	4	0.3	11	0.4
None	973	76.4	1,251	84.2	2,224	80.6
Mild	180	14.1	150	10.1	330	12.0
Moderate	88	6.9	63	4.2	151	5.5
Severe	16	1.3	12	0.8	28	1.0
Extreme	10	0.8	6	0.4	16	0.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q3KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	4	0.3	8	0.3
None	947	75.9	1,240	84.5	2,187	80.6
Mild	192	15.4	144	9.8	336	12.4
Moderate	82	6.6	69	4.7	151	5.6
Severe	17	1.4	8	0.5	25	0.9
Extreme	5	0.4	2	0.1	7	0.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q4e.Pain, sit or lie down, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q4KL
Variable Number	24
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q4KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	7	0.5	12	0.4
None	997	78.3	1,246	83.8	2,243	81.3
Mild	171	13.4	168	11.3	339	12.3
Moderate	81	6.4	53	3.6	134	4.9
Severe	15	1.2	8	0.5	23	0.8
Extreme	5	0.4	4	0.3	9	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q4KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	3	0.2	7	0.3
None	967	77.5	1,231	83.9	2,198	81.0
Mild	188	15.1	154	10.5	342	12.6
Moderate	74	5.9	70	4.8	144	5.3
Severe	12	1.0	8	0.5	20	0.7
Extreme	2	0.2	1	0.1	3	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q4f.Pain, standing, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q5KL
Variable Number	25
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q5KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
None	871	68.4	1,187	79.9	2,058	74.6
Mild	239	18.8	213	14.3	452	16.4
Moderate	120	9.4	62	4.2	182	6.6
Severe	31	2.4	12	0.8	43	1.6
Extreme	9	0.7	7	0.5	16	0.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q5KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
None	848	68.0	1,163	79.3	2,011	74.1
Mild	228	18.3	206	14.0	434	16.0
Moderate	126	10.1	80	5.5	206	7.6
Severe	32	2.6	12	0.8	44	1.6
Extreme	9	0.7	1	0.1	10	0.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: WOMAC Up/Down stairs, LEFT knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q2KL
Variable Number	26
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q2KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	28	2.2	10	0.7	38	1.4
None	621	48.7	873	58.7	1,494	54.1
Mild	310	24.3	369	24.8	679	24.6
Moderate	219	17.2	180	12.1	399	14.5
Severe	73	5.7	39	2.6	112	4.1
Extreme	23	1.8	15	1.0	38	1.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q2KL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	33	2.6	10	0.7	43	1.6
None	612	49.1	841	57.3	1,453	53.5
Mild	296	23.7	366	24.9	662	24.4
Moderate	213	17.1	198	13.5	411	15.1
Severe	67	5.4	42	2.9	109	4.0
Extreme	26	2.1	10	0.7	36	1.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: WOMAC Pain Score, LEFT knee

Variable	Attributes
Variable Name	V8WOPNKL
Variable Number	27
Variable Type	Num

Visit=8-month/152-month

V8WOPNKL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
zero	560	44.0	799	53.8	1,359	49.2
value>0	711	55.8	685	46.1	1,396	50.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8WOPNKL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	1	0.1	3	0.1
zero	558	44.7	773	52.7	1,331	49.0
value>0	687	55.1	693	47.2	1,380	50.8
Total	1,247	100.0	1,467	100.0	2,714	100.0

Visit=8-month/152-month

V8WOPNKL	Original cohort		New cohort		Total	
NMiss		3		2		5
N		1,271		1,484		2,755
Mean		2.55		1.64		2.06
Std		3.50		2.74		3.14
Min		0.00		0.00		0.00
P5		0.00		0.00		0.00
Q1		0.00		0.00		0.00
Median		1.00		0.00		1.00
Q3		4.00		2.00		3.00
P95		10.00		7.00		8.75
Max		20.00		20.00		20.00

Visit=16-month/160-month

V8WOPNKL	Original cohort		New cohort		Total	
NMiss		2		1		3
N		1,245		1,466		2,711
Mean		2.55		1.68		2.08
Std		3.41		2.70		3.07
Min		0.00		0.00		0.00
P5		0.00		0.00		0.00
Q1		0.00		0.00		0.00
Median		1.00		0.00		1.00
Q3		4.00		2.00		3.00

(Continued)

Visit=16-month/160-month

V8WOPNKL	Original cohort	New cohort	Total
P95	10.00	7.00	9.00
Max	20.00	20.00	20.00

Variable Label=WOMAC: Q5a.Difficulty, down stairs, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q8K
Variable Number	28
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q8K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	0	0	1	0.0
None	602	47.3	919	61.8	1,521	55.1
Mild	327	25.7	386	26.0	713	25.8
Moderate	250	19.6	141	9.5	391	14.2
Severe	50	3.9	16	1.1	66	2.4
Extreme	18	1.4	14	0.9	32	1.2
Do not do	26	2.0	10	0.7	36	1.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q8K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	0	0	2	0.1
None	559	44.8	921	62.8	1,480	54.5
Mild	344	27.6	350	23.9	694	25.6
Moderate	245	19.6	154	10.5	399	14.7
Severe	55	4.4	25	1.7	80	2.9
Extreme	14	1.1	6	0.4	20	0.7
Do not do	28	2.2	11	0.7	39	1.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5b.Difficulty, up stairs, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q9K
Variable Number	29
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q9K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	4	0.3	5	0.2
None	552	43.3	872	58.7	1,424	51.6
Mild	343	26.9	387	26.0	730	26.4
Moderate	269	21.1	168	11.3	437	15.8
Severe	60	4.7	29	2.0	89	3.2
Extreme	22	1.7	16	1.1	38	1.4
Do not do	27	2.1	10	0.7	37	1.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q9K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
None	534	42.8	866	59.0	1,400	51.6
Mild	338	27.1	380	25.9	718	26.5
Moderate	256	20.5	166	11.3	422	15.5
Severe	65	5.2	33	2.2	98	3.6
Extreme	19	1.5	8	0.5	27	1.0
Do not do	32	2.6	11	0.7	43	1.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5c.Difficulty, stand from sitting, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q10K
Variable Number	30
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q10K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	4	0.3	7	0.3
None	622	48.8	935	62.9	1,557	56.4
Mild	345	27.1	360	24.2	705	25.5
Moderate	231	18.1	147	9.9	378	13.7
Severe	56	4.4	29	2.0	85	3.1
Extreme	17	1.3	11	0.7	28	1.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q10K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	2	0.1	8	0.3
None	609	48.8	935	63.7	1,544	56.9
Mild	334	26.8	343	23.4	677	24.9
Moderate	224	18.0	149	10.2	373	13.7
Severe	62	5.0	30	2.0	92	3.4
Extreme	12	1.0	8	0.5	20	0.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5d.Difficulty standing, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q11K
Variable Number	31
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q11K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	3	0.2	4	0.1
None	803	63.0	1,183	79.6	1,986	72.0
Mild	262	20.6	210	14.1	472	17.1
Moderate	158	12.4	69	4.6	227	8.2
Severe	38	3.0	14	0.9	52	1.9
Extreme	12	0.9	7	0.5	19	0.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q11K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	4	0.3	11	0.4
None	755	60.5	1,163	79.3	1,918	70.7
Mild	263	21.1	195	13.3	458	16.9
Moderate	169	13.6	90	6.1	259	9.5
Severe	40	3.2	13	0.9	53	2.0
Extreme	13	1.0	2	0.1	15	0.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5e.Difficulty bending, EITHER knee, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8Q12K
<i>Variable Number</i>	32
<i>Variable Type</i>	Num
<i>Variable Format</i>	STAT5X

Visit=8-month/152-month

<i>V8Q12K</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	0	0	2	0.1	2	0.1
<i>None</i>	367	28.8	639	43.0	1,006	36.4
<i>Mild</i>	205	16.1	388	26.1	593	21.5
<i>Moderate</i>	214	16.8	281	18.9	495	17.9
<i>Severe</i>	121	9.5	82	5.5	203	7.4
<i>Extreme</i>	43	3.4	24	1.6	67	2.4
<i>Do not do</i>	324	25.4	70	4.7	394	14.3
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8Q12K</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	5	0.4	4	0.3	9	0.3
<i>None</i>	335	26.9	671	45.7	1,006	37.1
<i>Mild</i>	215	17.2	346	23.6	561	20.7
<i>Moderate</i>	200	16.0	267	18.2	467	17.2
<i>Severe</i>	113	9.1	87	5.9	200	7.4
<i>Extreme</i>	37	3.0	19	1.3	56	2.1
<i>Do not do</i>	342	27.4	73	5.0	415	15.3
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5f.Difficulty walking, EITHER knee, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8Q13K
<i>Variable Number</i>	33
<i>Variable Type</i>	Num
<i>Variable Format</i>	STAT5X

Visit=8-month/152-month

V8Q13K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	2	0.1	6	0.2
None	825	64.8	1,167	78.5	1,992	72.2
Mild	270	21.2	224	15.1	494	17.9
Moderate	143	11.2	75	5.0	218	7.9
Severe	25	2.0	11	0.7	36	1.3
Extreme	7	0.5	7	0.5	14	0.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q13K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	4	0.3	9	0.3
None	793	63.6	1,153	78.6	1,946	71.7
Mild	257	20.6	213	14.5	470	17.3
Moderate	169	13.6	75	5.1	244	9.0
Severe	18	1.4	18	1.2	36	1.3
Extreme	5	0.4	4	0.3	9	0.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5g.Difficulty, in car/out of car, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q14K
Variable Number	34
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q14K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	4	0.3	6	0.2
None	668	52.4	1,037	69.8	1,705	61.8
Mild	338	26.5	297	20.0	635	23.0
Moderate	209	16.4	122	8.2	331	12.0
Severe	43	3.4	17	1.1	60	2.2
Extreme	14	1.1	9	0.6	23	0.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q14K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	3	0.2	9	0.3
None	675	54.1	1,032	70.3	1,707	62.9
Mild	317	25.4	270	18.4	587	21.6
Moderate	197	15.8	124	8.5	321	11.8
Severe	44	3.5	30	2.0	74	2.7
Extreme	8	0.6	8	0.5	16	0.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5h.Difficulty shopping, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q15K
Variable Number	35
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q15K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
None	731	57.4	1,152	77.5	1,883	68.2
Mild	260	20.4	214	14.4	474	17.2
Moderate	161	12.6	70	4.7	231	8.4
Severe	39	3.1	20	1.3	59	2.1
Extreme	11	0.9	6	0.4	17	0.6
Do not do	70	5.5	22	1.5	92	3.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q15K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	2	0.1	10	0.4
None	713	57.2	1,143	77.9	1,856	68.4
Mild	243	19.5	187	12.7	430	15.8
Moderate	176	14.1	88	6.0	264	9.7
Severe	35	2.8	12	0.8	47	1.7
Extreme	7	0.6	5	0.3	12	0.4
Do not do	65	5.2	30	2.0	95	3.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5i.Difficulty, socks on, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q16K
Variable Number	36
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q16K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
None	822	64.5	1,210	81.4	2,032	73.6
Mild	245	19.2	182	12.2	427	15.5
Moderate	153	12.0	68	4.6	221	8.0
Severe	38	3.0	16	1.1	54	2.0
Extreme	13	1.0	7	0.5	20	0.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q16K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
None	824	66.1	1,209	82.4	2,033	74.9
Mild	237	19.0	163	11.1	400	14.7
Moderate	150	12.0	75	5.1	225	8.3
Severe	22	1.8	14	1.0	36	1.3
Extreme	11	0.9	4	0.3	15	0.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5j.Difficulty, get out of bed, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q17K
Variable Number	37
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q17K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	7	0.5	10	0.4
None	829	65.1	1,117	75.2	1,946	70.5
Mild	255	20.0	243	16.4	498	18.0
Moderate	157	12.3	96	6.5	253	9.2
Severe	19	1.5	13	0.9	32	1.2
Extreme	11	0.9	10	0.7	21	0.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q17K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	6	0.4	11	0.4
None	819	65.7	1,106	75.4	1,925	70.9
Mild	248	19.9	226	15.4	474	17.5
Moderate	143	11.5	104	7.1	247	9.1
Severe	24	1.9	20	1.4	44	1.6
Extreme	8	0.6	5	0.3	13	0.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5k.Difficulty, socks off, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q18K
Variable Number	38
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q18K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	5	0.3	7	0.3
None	884	69.4	1,231	82.8	2,115	76.6
Mild	226	17.7	167	11.2	393	14.2
Moderate	130	10.2	65	4.4	195	7.1
Severe	21	1.6	12	0.8	33	1.2
Extreme	11	0.9	6	0.4	17	0.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q18K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	1	0.1	3	0.1
None	876	70.2	1,225	83.5	2,101	77.4
Mild	217	17.4	161	11.0	378	13.9
Moderate	125	10.0	71	4.8	196	7.2
Severe	17	1.4	6	0.4	23	0.8
Extreme	10	0.8	3	0.2	13	0.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5I.Difficulty lying down, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q19K
Variable Number	39
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q19K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	6	0.4	9	0.3
None	950	74.6	1,246	83.8	2,196	79.6
Mild	204	16.0	169	11.4	373	13.5
Moderate	95	7.5	51	3.4	146	5.3
Severe	17	1.3	9	0.6	26	0.9
Extreme	5	0.4	5	0.3	10	0.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q19K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	4	0.3	8	0.3
None	951	76.3	1,241	84.6	2,192	80.8
Mild	198	15.9	150	10.2	348	12.8
Moderate	80	6.4	58	4.0	138	5.1
Severe	13	1.0	11	0.7	24	0.9
Extreme	1	0.1	3	0.2	4	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5m.Difficulty, get in/out of bathtub, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q20K
Variable Number	40
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q20K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
None	995	78.1	1,306	87.9	2,301	83.4
Mild	163	12.8	124	8.3	287	10.4
Moderate	94	7.4	36	2.4	130	4.7
Severe	15	1.2	7	0.5	22	0.8
Extreme	3	0.2	8	0.5	11	0.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q20K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	7	0.5	14	0.5
None	984	78.9	1,297	88.4	2,281	84.0
Mild	155	12.4	110	7.5	265	9.8
Moderate	81	6.5	45	3.1	126	4.6
Severe	13	1.0	4	0.3	17	0.6
Extreme	7	0.6	4	0.3	11	0.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5n.Difficulty sitting, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q21K
Variable Number	41
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q21K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	4	0.3	7	0.3
None	974	76.5	1,259	84.7	2,233	80.9
Mild	210	16.5	166	11.2	376	13.6
Moderate	75	5.9	44	3.0	119	4.3
Severe	10	0.8	6	0.4	16	0.6
Extreme	2	0.2	7	0.5	9	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q21K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	7	0.5	12	0.4
None	976	78.3	1,217	83.0	2,193	80.8
Mild	184	14.8	166	11.3	350	12.9
Moderate	73	5.9	66	4.5	139	5.1
Severe	5	0.4	6	0.4	11	0.4
Extreme	4	0.3	5	0.3	9	0.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5o.Difficulty, on/off toilet, EITHER knee, PAST 30 D

Variable	Attributes
Variable Name	V8Q22K
Variable Number	42
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q22K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	2	0.1	6	0.2
None	820	64.4	1,142	76.9	1,962	71.1
Mild	274	21.5	238	16.0	512	18.6
Moderate	146	11.5	77	5.2	223	8.1
Severe	26	2.0	18	1.2	44	1.6
Extreme	4	0.3	9	0.6	13	0.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q22K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	5	0.3	7	0.3
None	831	66.6	1,146	78.1	1,977	72.8
Mild	255	20.4	220	15.0	475	17.5
Moderate	134	10.7	66	4.5	200	7.4
Severe	17	1.4	24	1.6	41	1.5
Extreme	8	0.6	6	0.4	14	0.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5p.Difficulty heavy chores, EITHER knee PAST 30 D

Variable	Attributes
Variable Name	V8Q23K
Variable Number	43
Variable Type	Num
Variable Format	STAT5X

Visit=8-month/152-month

V8Q23K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	3	0.2	4	0.1
None	443	34.8	764	51.4	1,207	43.7
Mild	185	14.5	297	20.0	482	17.5
Moderate	188	14.8	160	10.8	348	12.6
Severe	51	4.0	24	1.6	75	2.7
Extreme	9	0.7	9	0.6	18	0.7
Do not do	397	31.2	229	15.4	626	22.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8Q23K	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	1	0.1	5	0.2
None	423	33.9	778	53.0	1,201	44.3
Mild	152	12.2	253	17.2	405	14.9
Moderate	159	12.8	146	10.0	305	11.2
Severe	36	2.9	27	1.8	63	2.3
Extreme	10	0.8	8	0.5	18	0.7
Do not do	463	37.1	254	17.3	717	26.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=WOMAC: Q5q.Difficulty light chores, EITHER knee, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8Q24K
<i>Variable Number</i>	44
<i>Variable Type</i>	Num
<i>Variable Format</i>	STAT5X

Visit=8-month/152-month

<i>V8Q24K</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	4	0.3	2	0.1	6	0.2
<i>None</i>	788	61.9	1,153	77.6	1,941	70.3
<i>Mild</i>	255	20.0	218	14.7	473	17.1
<i>Moderate</i>	144	11.3	76	5.1	220	8.0
<i>Severe</i>	13	1.0	12	0.8	25	0.9
<i>Extreme</i>	5	0.4	5	0.3	10	0.4
<i>Do not do</i>	65	5.1	20	1.3	85	3.1
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8Q24K</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	9	0.7	5	0.3	14	0.5
<i>None</i>	810	65.0	1,164	79.3	1,974	72.7
<i>Mild</i>	225	18.0	188	12.8	413	15.2
<i>Moderate</i>	121	9.7	73	5.0	194	7.1
<i>Severe</i>	13	1.0	9	0.6	22	0.8
<i>Extreme</i>	3	0.2	2	0.1	5	0.2
<i>Do not do</i>	66	5.3	26	1.8	92	3.4
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: WOMAC Physical Ability Score, EITHER knee

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8WOPASK
<i>Variable Number</i>	45
<i>Variable Type</i>	Num

Visit=8-month/152-month

V8WOPASK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	31	2.4	4	0.3	35	1.3
zero	312	24.5	501	33.7	813	29.5
value>0	931	73.1	981	66.0	1,912	69.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8WOPASK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	32	2.6	6	0.4	38	1.4
zero	297	23.8	539	36.7	836	30.8
value>0	918	73.6	922	62.8	1,840	67.8
Total	1,247	100.0	1,467	100.0	2,714	100.0

Visit=8-month/152-month

V8WOPASK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
NMiss		31		4		35
N		1,243		1,482		2,725
Mean		10.52		6.49		8.33
Std		11.74		9.57		10.80
Min		0.00		0.00		0.00
P5		0.00		0.00		0.00
Q1		0.00		0.00		0.00
Median		6.00		2.13		4.00
Q3		17.00		9.00		12.75
P95		34.00		25.50		31.00
Max		68.00		68.00		68.00

Visit=16-month/160-month

V8WOPASK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
NMiss		32		6		38
N		1,215		1,461		2,676
Mean		10.16		6.31		8.06
Std		11.14		9.38		10.39
Min		0.00		0.00		0.00
P5		0.00		0.00		0.00
Q1		1.00		0.00		0.00
Median		6.07		2.00		3.52
Q3		17.00		9.00		12.75

(Continued)

Visit=16-month/160-month

V8WOPASK	Original cohort	New cohort	Total
P95	32.94	26.56	31.00
Max	53.27	66.94	66.94

Variable Label=Joint Pain:6.Joint pain, aching, stiffness, most days, PAST 30 D

Variable	Attributes
Variable Name	V8JPAIN
Variable Number	46
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8JPAIN	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
No	479	37.6	710	47.8	1,189	43.1
Yes	792	62.2	774	52.1	1,566	56.7
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8JPAIN	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	3	0.2	4	0.1
No	463	37.1	692	47.2	1,155	42.6
Yes	782	62.7	772	52.6	1,554	57.3
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6a. Pain, aching or stiffness in either hip, most days, PAST 30 D

Variable	Attributes
Variable Name	V8HIP30
Variable Number	47
Variable Type	Num
Variable Format	LRB1X

Visit=8-month/152-month

V8HIP30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	5	0.3	7	0.3
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	123	9.7	78	5.2	201	7.3
2:Left	104	8.2	90	6.1	194	7.0
3:Both	155	12.2	147	9.9	302	10.9
4:Neither	410	32.2	456	30.7	866	31.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HIP30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	6	0.4	8	0.3
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	129	10.3	91	6.2	220	8.1
2:Left	83	6.7	88	6.0	171	6.3
3:Both	154	12.3	116	7.9	270	9.9
4:Neither	415	33.3	474	32.3	889	32.8
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6b. Pain, aching or stiffness in either ankle, most days, PAST 30 D

Variable	Attributes
Variable Name	V8ANKL30
Variable Number	48
Variable Type	Num
Variable Format	LRB1X

Visit=8-month/152-month

V8ANKL30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	3	0.2	5	0.2
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	45	3.5	54	3.6	99	3.6
2:Left	52	4.1	37	2.5	89	3.2
3:Both	84	6.6	70	4.7	154	5.6
4:Neither	611	48.0	612	41.2	1,223	44.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ANKL30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	7	0.5	12	0.4
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	50	4.0	55	3.7	105	3.9
2:Left	33	2.6	41	2.8	74	2.7
3:Both	74	5.9	65	4.4	139	5.1
4:Neither	621	49.8	607	41.4	1,228	45.2
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6c. Pain, aching or stiffness in either foot, most days, PAST 30 D

Variable	Attributes
Variable Name	V8FEET30
Variable Number	49
Variable Type	Num
Variable Format	LRB1X

Visit=8-month/152-month

V8FEET30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	50	3.9	51	3.4	101	3.7
2:Left	42	3.3	36	2.4	78	2.8
3:Both	120	9.4	97	6.5	217	7.9
4:Neither	578	45.4	587	39.5	1,165	42.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FEET30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	48	3.8	64	4.4	112	4.1
2:Left	51	4.1	44	3.0	95	3.5
3:Both	122	9.8	118	8.0	240	8.8
4:Neither	558	44.7	544	37.1	1,102	40.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6d. Pain, aching or stiffness in either shoulder, most days, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8SHDR30
<i>Variable Number</i>	50
<i>Variable Type</i>	Num
<i>Variable Format</i>	LRB1X

Visit=8-month/152-month

<i>V8SHDR30</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	4	0.3	5	0.3	9	0.3
<i>.Q:Not Required</i>	480	37.7	710	47.8	1,190	43.1
<i>1:Right</i>	120	9.4	116	7.8	236	8.6
<i>2:Left</i>	98	7.7	68	4.6	166	6.0
<i>3:Both</i>	139	10.9	131	8.8	270	9.8
<i>4:Neither</i>	433	34.0	456	30.7	889	32.2
<i>Total</i>	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8SHDR30</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>.M:Missing</i>	5	0.4	4	0.3	9	0.3
<i>.Q:Not Required</i>	464	37.2	692	47.2	1,156	42.6
<i>1:Right</i>	144	11.5	114	7.8	258	9.5
<i>2:Left</i>	93	7.5	78	5.3	171	6.3
<i>3:Both</i>	143	11.5	137	9.3	280	10.3
<i>4:Neither</i>	398	31.9	442	30.1	840	31.0
<i>Total</i>	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6e. Pain, aching or stiffness in either elbow, most days, PAST 30 D

<i>Variable</i>	<i>Attributes</i>
<i>Variable Name</i>	V8ELB30
<i>Variable Number</i>	51
<i>Variable Type</i>	Num
<i>Variable Format</i>	LRB1X

Visit=8-month/152-month

V8ELB30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	6	0.4	11	0.4
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	37	2.9	46	3.1	83	3.0
2:Left	17	1.3	27	1.8	44	1.6
3:Both	21	1.6	43	2.9	64	2.3
4:Neither	714	56.0	654	44.0	1,368	49.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ELB30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	6	0.4	12	0.4
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	40	3.2	47	3.2	87	3.2
2:Left	32	2.6	37	2.5	69	2.5
3:Both	31	2.5	53	3.6	84	3.1
4:Neither	674	54.0	632	43.1	1,306	48.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6f. Pain, aching or stiffness in either wrist, most days, PAST 30 D

Variable	Attributes
Variable Name	V8WRST30
Variable Number	52
Variable Type	Num
Variable Format	LRB1X

Visit=8-month/152-month

V8WRST30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	4	0.3	9	0.3
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	53	4.2	60	4.0	113	4.1
2:Left	41	3.2	35	2.4	76	2.8
3:Both	67	5.3	75	5.0	142	5.1
4:Neither	628	49.3	602	40.5	1,230	44.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8WRST30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	5	0.3	11	0.4
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	59	4.7	56	3.8	115	4.2
2:Left	28	2.2	34	2.3	62	2.3
3:Both	77	6.2	88	6.0	165	6.1
4:Neither	613	49.2	592	40.4	1,205	44.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6g. Pain, aching or stiffness in either hand, most days, PAST 30 D

Variable	Attributes
Variable Name	V8HAND30
Variable Number	53
Variable Type	Num
Variable Format	LRB1X

Visit=8-month/152-month

V8HAND30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
1:Right	83	6.5	71	4.8	154	5.6
2:Left	56	4.4	42	2.8	98	3.6
3:Both	217	17.0	154	10.4	371	13.4
4:Neither	435	34.1	506	34.1	941	34.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HAND30	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	6	0.4	9	0.3
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
1:Right	91	7.3	69	4.7	160	5.9
2:Left	40	3.2	46	3.1	86	3.2
3:Both	218	17.5	156	10.6	374	13.8
4:Neither	431	34.6	498	33.9	929	34.2
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT hip

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8HIPR
Variable Number	54
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8HIPR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	3	0.2	5	0.3	8	0.3
No	993	77.9	1,256	84.5	2,249	81.5
Yes	278	21.8	225	15.1	503	18.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8HIPR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	3	0.2	6	0.4	9	0.3
No	961	77.1	1,254	85.5	2,215	81.6
Yes	283	22.7	207	14.1	490	18.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT hip

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8HIPL
Variable Number	55
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8HIPL</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	3	0.2	5	0.3	8	0.3
No	1,012	79.4	1,244	83.7	2,256	81.7
Yes	259	20.3	237	15.9	496	18.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HIPL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	6	0.4	9	0.3
No	1,007	80.8	1,257	85.7	2,264	83.4
Yes	237	19.0	204	13.9	441	16.2
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT ankle

Variable	Attributes
Variable Name	V8ANKLR
Variable Number	56
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8ANKLR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
No	1,142	89.6	1,359	91.5	2,501	90.6
Yes	129	10.1	124	8.3	253	9.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ANKLR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	7	0.5	13	0.5
No	1,117	89.6	1,340	91.3	2,457	90.5
Yes	124	9.9	120	8.2	244	9.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT ankle

Variable	Attributes
Variable Name	V8ANKLL
Variable Number	57
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8ANKLL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
No	1,135	89.1	1,376	92.6	2,511	91.0
Yes	136	10.7	107	7.2	243	8.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ANKLL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	7	0.5	13	0.5
No	1,134	90.9	1,354	92.3	2,488	91.7
Yes	107	8.6	106	7.2	213	7.8
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT foot

Variable	Attributes
Variable Name	V8FOOTR
Variable Number	58
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FOOTR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,099	86.3	1,333	89.7	2,432	88.1
Yes	170	13.3	148	10.0	318	11.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FOOTR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,072	86.0	1,280	87.3	2,352	86.7
Yes	170	13.6	182	12.4	352	13.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT foot

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8FOOTL
Variable Number	59
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8FOOTL</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,107	86.9	1,348	90.7	2,455	88.9
Yes	162	12.7	133	9.0	295	10.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8FOOTL</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,069	85.7	1,300	88.6	2,369	87.3
Yes	173	13.9	162	11.0	335	12.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT shoulder

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8SHDRR
Variable Number	60
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8SHDRR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,010	79.3	1,234	83.0	2,244	81.3
Yes	259	20.3	247	16.6	506	18.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8SHDRR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	4	0.3	10	0.4
No	954	76.5	1,212	82.6	2,166	79.8
Yes	287	23.0	251	17.1	538	19.8
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT shoulder

Variable	Attributes
Variable Name	V8SHDRL
Variable Number	61
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8SHDRL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	5	0.3	10	0.4
No	1,032	81.0	1,282	86.3	2,314	83.8
Yes	237	18.6	199	13.4	436	15.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8SHDRL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	4	0.3	10	0.4
No	1,005	80.6	1,248	85.1	2,253	83.0
Yes	236	18.9	215	14.7	451	16.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT elbow

Variable	Attributes
Variable Name	V8ELBR
Variable Number	62
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8ELBR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	6	0.4	12	0.4
No	1,210	95.0	1,391	93.6	2,601	94.2
Yes	58	4.6	89	6.0	147	5.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ELBR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	6	0.4	13	0.5
No	1,169	93.7	1,361	92.8	2,530	93.2
Yes	71	5.7	100	6.8	171	6.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT elbow

Variable	Attributes
Variable Name	V8ELBL
Variable Number	63
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8ELBL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	6	0.4	12	0.4
No	1,230	96.5	1,410	94.9	2,640	95.7
Yes	38	3.0	70	4.7	108	3.9
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8ELBL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	6	0.4	13	0.5
No	1,177	94.4	1,371	93.5	2,548	93.9
Yes	63	5.1	90	6.1	153	5.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT wrist

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8WRSTR
Variable Number	64
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8WRSTR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	6	0.5	4	0.3	10	0.4
No	1,148	90.1	1,347	90.6	2,495	90.4
Yes	120	9.4	135	9.1	255	9.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8WRSTR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	7	0.6	5	0.3	12	0.4
No	1,104	88.5	1,318	89.8	2,422	89.2
Yes	136	10.9	144	9.8	280	10.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT wrist

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8WRSTL
Variable Number	65
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

<i>V8WRSTL</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	6	0.5	4	0.3	10	0.4
No	1,160	91.1	1,372	92.3	2,532	91.7
Yes	108	8.5	110	7.4	218	7.9
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8WRSTL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	5	0.3	12	0.4
No	1,135	91.0	1,340	91.3	2,475	91.2
Yes	105	8.4	122	8.3	227	8.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: RIGHT hand

Variable	Attributes
Variable Name	V8HANDR
Variable Number	66
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8HANDR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	3	0.2	7	0.3
No	970	76.1	1,258	84.7	2,228	80.7
Yes	300	23.5	225	15.1	525	19.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HANDR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
No	934	74.9	1,236	84.3	2,170	80.0
Yes	309	24.8	225	15.3	534	19.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc:Joint Pain: Pain location: LEFT hand

Variable	Attributes
Variable Name	V8HANDL
Variable Number	67
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8HANDL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	3	0.2	7	0.3
No	997	78.3	1,287	86.6	2,284	82.8
Yes	273	21.4	196	13.2	469	17.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HANDL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
No	985	79.0	1,259	85.8	2,244	82.7
Yes	258	20.7	202	13.8	460	16.9
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Joint Pain:6h. Pain location: Neck

Variable	Attributes
Variable Name	V8NECK
Variable Number	68
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8NECK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
No	495	38.9	438	29.5	933	33.8
Yes	296	23.2	336	22.6	632	22.9
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8NECK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	4	0.3	9	0.3
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
No	494	39.6	429	29.2	923	34.0
Yes	284	22.8	342	23.3	626	23.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: Widespread pain (definition A) PAST 30 D

Variable	Attributes
Variable Name	V8_WSPA
Variable Number	69
Variable Type	Num
Variable Format	WSPF

Visit=8-month/152-month

V8_WSPA	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	2	0.1	6	0.2
0:No	553	43.4	792	53.3	1,345	48.7
1:Intermediate	598	46.9	596	40.1	1,194	43.3
2:Widespread	119	9.3	96	6.5	215	7.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8_WSPA	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
0:No	528	42.3	766	52.2	1,294	47.7
1:Intermediate	600	48.1	611	41.6	1,211	44.6
2:Widespread	116	9.3	87	5.9	203	7.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: Widespread pain (definition B) PAST 30 D

Variable	Attributes
Variable Name	V8_WSPB
Variable Number	70
Variable Type	Num
Variable Format	WSPF

Visit=8-month/152-month

V8_WSPB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	2	0.1	6	0.2
0:No	612	48.0	913	61.4	1,525	55.3
1:Intermediate	539	42.3	475	32.0	1,014	36.7
2:Widespread	119	9.3	96	6.5	215	7.8
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8_WSPB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
0:No	601	48.2	883	60.2	1,484	54.7
1:Intermediate	527	42.3	494	33.7	1,021	37.6
2:Widespread	116	9.3	87	5.9	203	7.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Calc: Widespread pain (definition C) PAST 30 D

Variable	Attributes
Variable Name	V8_WSPC
Variable Number	71
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8_WSPC	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
No	920	72.2	1,197	80.6	2,117	76.7
Yes	351	27.6	287	19.3	638	23.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8_WSPC	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	3	0.2	5	0.2
No	875	70.2	1,165	79.4	2,040	75.2
Yes	370	29.7	299	20.4	669	24.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Back Pain:6i.Pain location: Low back, most days, PAST 30 D

Variable	Attributes
Variable Name	V8LB
Variable Number	72
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8LB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	4	0.3	7	0.3
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
No	297	23.3	336	22.6	633	22.9
Yes	494	38.8	436	29.3	930	33.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8LB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	4	0.3	8	0.3
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
No	296	23.7	350	23.9	646	23.8
Yes	483	38.7	421	28.7	904	33.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Back Pain:6j.Pain location: Mid/upper back, most days, PAST 30 D

Variable	Attributes
Variable Name	V8MUB
Variable Number	73
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8MUB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
.Q:Not Required	480	37.7	710	47.8	1,190	43.1
No	603	47.3	580	39.0	1,183	42.9
Yes	187	14.7	190	12.8	377	13.7
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8MUB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	7	0.5	12	0.4
.Q:Not Required	464	37.2	692	47.2	1,156	42.6
No	601	48.2	567	38.7	1,168	43.0

(Continued)

Visit=16-month/160-month

V8MUB	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Yes	177	14.2	201	13.7	378	13.9
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q7.Constant pain? RIGHT knee, PAST 7 D

Variable	Attributes
Variable Name	V8CKCP7R
Variable Number	74
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8CKCP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	4	0.3	5	0.2
No	1,152	90.4	1,391	93.6	2,543	92.1
Yes	119	9.3	91	6.1	210	7.6
Dont know/Refused	2	0.2	0	0	2	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8CKCP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	3	0.2	4	0.1
No	1,111	89.1	1,364	93.0	2,475	91.2
Yes	135	10.8	100	6.8	235	8.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q7a.Intensity of constant pain? RIGHT knee, PAST 7 D

Variable	Attributes
Variable Name	V8INCP7R
Variable Number	75
Variable Type	Num
Variable Format	RATE14X

Visit=8-month/152-month

V8INCP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	4	0.3	5	0.2
.Q:Not Required	1,154	90.6	1,391	93.6	2,545	92.2
Not at all	0	0	1	0.1	1	0.0
Mildly	35	2.7	36	2.4	71	2.6
Moderately	51	4.0	34	2.3	85	3.1
Severely	27	2.1	11	0.7	38	1.4
Extremely	6	0.5	9	0.6	15	0.5
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8INCP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	3	0.2	4	0.1
.Q:Not Required	1,111	89.1	1,364	93.0	2,475	91.2
Not at all	0	0	1	0.1	1	0.0
Mildly	51	4.1	40	2.7	91	3.4
Moderately	50	4.0	42	2.9	92	3.4
Severely	28	2.2	11	0.7	39	1.4
Extremely	6	0.5	6	0.4	12	0.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q8.Intermittent pain? RIGHT knee, PAST 7 D

Variable	Attributes
Variable Name	V8INTP7R
Variable Number	76
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8INTP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	2	0.1	8	0.3
No	735	57.7	996	67.0	1,731	62.7
Yes	531	41.7	487	32.8	1,018	36.9
Dont know/Refused	2	0.2	1	0.1	3	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8INTP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	4	0.3	5	0.2
No	739	59.3	952	64.9	1,691	62.3
Yes	506	40.6	511	34.8	1,017	37.5
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q8a.Frequency intermittent pain? RIGHT knee, PAST 7 D

Variable	Attributes
Variable Name	V8FRQP7R
Variable Number	77
Variable Type	Num
Variable Format	TIME67X

Visit=8-month/152-month

V8FRQP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	6	0.5	3	0.2	9	0.3
.Q:Not Required	737	57.8	997	67.1	1,734	62.8
Rarely	102	8.0	117	7.9	219	7.9
Sometimes	252	19.8	236	15.9	488	17.7
Often	131	10.3	100	6.7	231	8.4
Very Often	40	3.1	32	2.2	72	2.6
Dont know	6	0.5	1	0.1	7	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FRQP7R	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	4	0.3	6	0.2
.Q:Not Required	740	59.3	952	64.9	1,692	62.3
Rarely	105	8.4	124	8.5	229	8.4
Sometimes	224	18.0	264	18.0	488	18.0
Often	129	10.3	102	7.0	231	8.5
Very Often	47	3.8	20	1.4	67	2.5
Dont know	0	0	1	0.1	1	0.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q9.Constant pain? LEFT knee, PAST 7 D

Variable	Attributes
Variable Name	V8CKCP7L
Variable Number	78
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8CKCP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	5	0.3	8	0.3
No	1,121	88.0	1,368	92.1	2,489	90.2
Yes	148	11.6	113	7.6	261	9.5
Dont know/Refused	2	0.2	0	0	2	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8CKCP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	0	0	3	0.1
No	1,104	88.5	1,349	92.0	2,453	90.4
Yes	140	11.2	117	8.0	257	9.5
Dont know/Refused	0	0	1	0.1	1	0.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q9a.Intensity of constant pain? LEFT knee, PAST 7 D

Variable	Attributes
Variable Name	V8INCP7L
Variable Number	79
Variable Type	Num
Variable Format	RATE14X

Visit=8-month/152-month

V8INCP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	5	0.3	8	0.3
.Q:Not Required	1,123	88.1	1,368	92.1	2,491	90.3
Mildly	42	3.3	53	3.6	95	3.4
Moderately	68	5.3	38	2.6	106	3.8
Severely	28	2.2	16	1.1	44	1.6

(Continued)

Visit=8-month/152-month

V8INCP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Extremely	10	0.8	6	0.4	16	0.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8INCP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	0	0	3	0.1
.Q:Not Required	1,104	88.5	1,350	92.0	2,454	90.4
Mildly	40	3.2	42	2.9	82	3.0
Moderately	63	5.1	54	3.7	117	4.3
Severely	25	2.0	17	1.2	42	1.5
Extremely	12	1.0	4	0.3	16	0.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q10.Intermittent pain? LEFT knee, PAST 7 D

Variable	Attributes
Variable Name	V8INTP7L
Variable Number	80
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8INTP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
No	794	62.3	994	66.9	1,788	64.8
Yes	476	37.4	490	33.0	966	35.0
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8INTP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	2	0.1	3	0.1
No	771	61.8	960	65.4	1,731	63.8
Yes	474	38.0	503	34.3	977	36.0
Dont know/Refused	1	0.1	2	0.1	3	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Pain: Q10a.Frequency intermittent pain? LEFT knee, PAST 7 D

Variable	Attributes
Variable Name	V8FRQP7L
Variable Number	81
Variable Type	Num
Variable Format	TIME67X

Visit=8-month/152-month

V8FRQP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	4	0.3	7	0.3
.Q:Not Required	795	62.4	994	66.9	1,789	64.8
Rarely	97	7.6	134	9.0	231	8.4
Sometimes	214	16.8	231	15.5	445	16.1
Often	128	10.0	95	6.4	223	8.1
Very Often	36	2.8	27	1.8	63	2.3
Dont know	1	0.1	1	0.1	2	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FRQP7L	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
.Q:Not Required	772	61.9	962	65.6	1,734	63.9
Rarely	109	8.7	131	8.9	240	8.8
Sometimes	206	16.5	250	17.0	456	16.8
Often	115	9.2	99	6.7	214	7.9
Very Often	43	3.4	23	1.6	66	2.4
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Buckling: Q11.Knee buckled at least once, SINCE LAST CONTACT

Variable	Attributes
Variable Name	V8KBUCK
Variable Number	82
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8KBUCK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	2	0.1	5	0.2
No	941	73.9	1,202	80.9	2,143	77.6
Yes	327	25.7	280	18.8	607	22.0
Dont know/Refused	3	0.2	2	0.1	5	0.2
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KBUCK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	2	0.1	3	0.1
No	931	74.7	1,204	82.1	2,135	78.7
Yes	302	24.2	260	17.7	562	20.7
Dont know/Refused	13	1.0	1	0.1	14	0.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Buckling: Q11a.Which knee buckled?

Variable	Attributes
Variable Name	V8KBS
Variable Number	83
Variable Type	Num
Variable Format	WKNEE

Visit=8-month/152-month

V8KBS	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	2	0.1	6	0.2
.Q:Not Required	944	74.1	1,204	81.0	2,148	77.8
Right knee	148	11.6	130	8.7	278	10.1
Left knee	108	8.5	89	6.0	197	7.1
Both knees	52	4.1	40	2.7	92	3.3
Don't know which one	18	1.4	21	1.4	39	1.4
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KBS	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	2	0.1	3	0.1
.Q:Not Required	944	75.7	1,205	82.1	2,149	79.2
Right knee	136	10.9	136	9.3	272	10.0
Left knee	107	8.6	66	4.5	173	6.4
Both knees	42	3.4	46	3.1	88	3.2
Don't know which one	17	1.4	12	0.8	29	1.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Buckling: Q11b.Times knee buckled?

Variable	Attributes
Variable Name	V8KBTOT
Variable Number	84
Variable Type	Num
Variable Format	KBFREQ

Visit=8-month/152-month

V8KBTOT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
.Q:Not Required	944	74.1	1,204	81.0	2,148	77.8
1 time	56	4.4	71	4.8	127	4.6
2-5 times	172	13.5	148	10.0	320	11.6
6-10 times	44	3.5	26	1.7	70	2.5
11-24 times	26	2.0	12	0.8	38	1.4
More than 24 times	24	1.9	20	1.3	44	1.6
Dont know/refused	5	0.4	2	0.1	7	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8KBTOT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	2	0.1	3	0.1
.Q:Not Required	944	75.7	1,205	82.1	2,149	79.2
1 time	58	4.7	65	4.4	123	4.5
2-5 times	157	12.6	144	9.8	301	11.1
6-10 times	42	3.4	30	2.0	72	2.7
11-24 times	16	1.3	13	0.9	29	1.1
More than 24 times	26	2.1	8	0.5	34	1.3

(Continued)

Visit=16-month/160-month

V8KBTOT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Dont know/refused	3	0.2	0	0	3	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Buckling: Q11c.Fall due to knee buckling?

Variable	Attributes
Variable Name	V8FALL
Variable Number	85
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	3	0.2	3	0.2	6	0.2
.Q:Not Required	944	74.1	1,204	81.0	2,148	77.8
No	282	22.1	251	16.9	533	19.3
Yes	45	3.5	28	1.9	73	2.6
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	3	0.2	5	0.2
.Q:Not Required	944	75.7	1,205	82.1	2,149	79.2
No	248	19.9	218	14.9	466	17.2
Yes	53	4.3	41	2.8	94	3.5
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Buckling: Q12.Limit activity due to concern of knee buckling?

Variable	Attributes
Variable Name	V8LMBUCK
Variable Number	86
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8LMBUCK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	2	0.1	4	0.1
.Q:Not Required	0	0	2	0.1	2	0.1
No	1,044	81.9	1,329	89.4	2,373	86.0
Yes	225	17.7	152	10.2	377	13.7
Dont know/Refused	3	0.2	1	0.1	4	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8LMBUCK	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	1	0.1	2	0.1
.Q:Not Required	4	0.3	5	0.3	9	0.3
No	1,014	81.3	1,296	88.3	2,310	85.1
Yes	227	18.2	165	11.2	392	14.4
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label= Falls:13.Fallen/landed on ground, SINCE LAST CONTACT

Variable	Attributes
Variable Name	V8FALLG
Variable Number	87
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8FALLG	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
No	1,024	80.4	1,292	86.9	2,316	83.9
Yes	244	19.2	187	12.6	431	15.6
Dont know/Refused	2	0.2	2	0.1	4	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLG	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	8	0.5	10	0.4
No	994	79.7	1,223	83.4	2,217	81.7
Yes	249	20.0	234	16.0	483	17.8
Dont know/Refused	2	0.2	2	0.1	4	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13a.Number of falls?

Variable	Attributes
Variable Name	V8FALLT
Variable Number	88
Variable Type	Num
Variable Format	RATE2XB

Visit=8-month/152-month

V8FALLT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	5	0.3	9	0.3
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
One	143	11.2	120	8.1	263	9.5
Two or three	77	6.0	47	3.2	124	4.5
Four or five	12	0.9	10	0.7	22	0.8
Six or more	10	0.8	10	0.7	20	0.7
Dont know	2	0.2	0	0	2	0.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	8	0.5	10	0.4
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
One	148	11.9	159	10.8	307	11.3
Two or three	76	6.1	60	4.1	136	5.0
Four or five	14	1.1	10	0.7	24	0.9
Six or more	11	0.9	5	0.3	16	0.6
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.Injured as a result of a fall?

Variable	Attributes
Variable Name	V8FALLIN
Variable Number	89
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8FALLIN	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	175	13.7	120	8.1	295	10.7
Yes	68	5.3	66	4.4	134	4.9
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLIN	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	8	0.5	10	0.4
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	160	12.8	160	10.9	320	11.8
Yes	89	7.1	72	4.9	161	5.9
Dont know/Refused	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.i.Injury - fracture?

Variable	Attributes
Variable Name	V8FALLFX
Variable Number	90
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLFX	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	7	0.5	15	0.5
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	232	18.2	180	12.1	412	14.9
Yes	7	0.5	5	0.3	12	0.4

(Continued)

Visit=8-month/152-month

V8FALLFX	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLFX	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	11	0.9	16	1.1	27	1.0
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	219	17.6	217	14.8	436	16.1
Yes	21	1.7	7	0.5	28	1.0
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label= Falls:13b.i.Injury - sprained/strained joint?

Variable	Attributes
Variable Name	V8FALLSP
Variable Number	91
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLSP	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	7	0.5	15	0.5
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	231	18.1	168	11.3	399	14.5
Yes	8	0.6	17	1.1	25	0.9
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLSP	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	12	1.0	14	1.0	26	1.0
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	225	18.0	217	14.8	442	16.3
Yes	14	1.1	9	0.6	23	0.8

(Continued)

Visit=16-month/160-month

V8FALLSP	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.i.Injury - pulled or torn muscle?

Variable	Attributes
Variable Name	V8FALLPU
Variable Number	92
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLPU	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	7	0.5	15	0.5
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	232	18.2	173	11.6	405	14.7
Yes	7	0.5	12	0.8	19	0.7
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLPU	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	11	0.9	15	1.0	26	1.0
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	226	18.1	215	14.7	441	16.2
Yes	14	1.1	10	0.7	24	0.9
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.i.Injury - Head or concussion?

Variable	Attributes
Variable Name	V8FHEAD
Variable Number	93
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FHEAD	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	7	0.5	15	0.5
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	232	18.2	176	11.8	408	14.8
Yes	7	0.5	9	0.6	16	0.6
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FHEAD	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	13	1.0	15	1.0	28	1.0
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	228	18.3	220	15.0	448	16.5
Yes	10	0.8	5	0.3	15	0.6
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.i.Injury - Other?

Variable	Attributes
Variable Name	V8FALLOT
Variable Number	94
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLOT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	6	0.4	11	0.4
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	192	15.1	150	10.1	342	12.4
Yes	50	3.9	36	2.4	86	3.1
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLOT	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	8	0.6	10	0.7	18	0.7
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	186	14.9	185	12.6	371	13.7
Yes	57	4.6	45	3.1	102	3.8
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.ii.Receive treatment?

Variable	Attributes
Variable Name	V8FALLD
Variable Number	95
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLD	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	208	16.3	148	10.0	356	12.9
Yes	35	2.7	38	2.6	73	2.6
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLD	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	8	0.5	10	0.4
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	199	16.0	197	13.4	396	14.6
Yes	50	4.0	35	2.4	85	3.1
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Falls:13b.iii.Limited activities 1+ day due to fall?

Variable	Attributes
Variable Name	V8FALLL
Variable Number	96
Variable Type	Num
Variable Format	YNDK

Visit=8-month/152-month

V8FALLL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	4	0.3	6	0.4	10	0.4
.Q:Not Required	1,026	80.5	1,294	87.1	2,320	84.1
No	205	16.1	138	9.3	343	12.4
Yes	38	3.0	48	3.2	86	3.1
Dont know	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8FALLL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	2	0.2	8	0.5	10	0.4
.Q:Not Required	996	79.9	1,225	83.5	2,221	81.8
No	185	14.8	188	12.8	373	13.7
Yes	64	5.1	44	3.0	108	4.0
Dont know	0	0	2	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Injury:Q14.Injury limited ability to walk at least 2 days RIGHT knee, SINCE LAST CONTACT

Variable	Attributes
Variable Name	V8LAR
Variable Number	97
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8LAR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	3	0.2	8	0.3
No	1,251	98.2	1,447	97.4	2,698	97.8
Yes	18	1.4	35	2.4	53	1.9

(Continued)

Visit=8-month/152-month

V8LAR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
Dont know/Refused	0	0	1	0.1	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8LAR	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	1	0.1	7	0.5	8	0.3
No	1,217	97.6	1,432	97.6	2,649	97.6
Yes	28	2.2	27	1.8	55	2.0
Dont know/Refused	1	0.1	1	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Injury:Q15.Injury limited ability to walk at least 2 days LEFT knee, SINCE LAST CONTACT

Variable	Attributes
Variable Name	V8LAL
Variable Number	98
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8LAL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	5	0.4	4	0.3	9	0.3
No	1,240	97.3	1,453	97.8	2,693	97.6
Yes	29	2.3	29	2.0	58	2.1
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8LAL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	0	0	4	0.3	4	0.1
No	1,215	97.4	1,434	97.8	2,649	97.6
Yes	31	2.5	28	1.9	59	2.2
Dont know/Refused	1	0.1	1	0.1	2	0.1
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Surg: Q16.Surgery, RIGHT knee, SINCE LAST CONTACT

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8SURGR
Variable Number	99
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

<i>V8SURGR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	6	0.5	4	0.3	10	0.4
No	1,252	98.3	1,473	99.1	2,725	98.7
Yes	16	1.3	9	0.6	25	0.9
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

<i>V8SURGR</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	3	0.2	0	0	3	0.1
No	1,230	98.6	1,462	99.7	2,692	99.2
Yes	14	1.1	5	0.3	19	0.7
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=Knee Surg: Q17.Surgery, LEFT knee, SINCE LAST CONTACT

<i>Variable</i>	<i>Attributes</i>
Variable Name	V8SURGL
Variable Number	100
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

<i>V8SURGL</i>	<i>Original cohort</i>		<i>New cohort</i>		<i>Total</i>	
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
.M:Missing	1	0.1	3	0.2	4	0.1
No	1,254	98.4	1,478	99.5	2,732	99.0
Yes	18	1.4	5	0.3	23	0.8
Dont know/Refused	1	0.1	0	0	1	0.0
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8SURGL	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.M:Missing	7	0.6	3	0.2	10	0.4
No	1,221	97.9	1,456	99.3	2,677	98.6
Yes	19	1.5	8	0.5	27	1.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=SAQH:20.Hospitalized, SINCE LAST CONTACT

Variable	Attributes
Variable Name	V8HOSP
Variable Number	101
Variable Type	Num
Variable Format	YNDKX

Visit=8-month/152-month

V8HOSP	Original cohort		New cohort		Total	
	N	%	N	%	N	%
No	1,128	88.5	1,421	95.6	2,549	92.4
Yes	142	11.1	60	4.0	202	7.3
Dont know/Refused	4	0.3	5	0.3	9	0.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HOSP	Original cohort		New cohort		Total	
	N	%	N	%	N	%
No	1,088	87.2	1,400	95.4	2,488	91.7
Yes	156	12.5	61	4.2	217	8.0
Dont know/Refused	3	0.2	6	0.4	9	0.3
Total	1,247	100.0	1,467	100.0	2,714	100.0

Variable Label=SAQH:20A.How many total days were you in the hospital?

Variable	Attributes
Variable Name	V8HOSPDAY
Variable Number	102
Variable Type	Num

Visit=8-month/152-month

V8HOSPDAY	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	1,132	88.9	1,426	96.0	2,558	92.7
value>0	142	11.1	60	4.0	202	7.3
Total	1,274	100.0	1,486	100.0	2,760	100.0

Visit=16-month/160-month

V8HOSPDAY	Original cohort		New cohort		Total	
	N	%	N	%	N	%
.Q:Not Required	1,091	87.5	1,406	95.8	2,497	92.0
value>0	156	12.5	61	4.2	217	8.0
Total	1,247	100.0	1,467	100.0	2,714	100.0

Visit=8-month/152-month

V8HOSPDAY	Original cohort		New cohort		Total	
	N	%	N	%	N	%
NMiss		1,132		1,426		2,558
N		142		60		202
Mean		4.42		4.12		4.33
Std		4.75		5.75		5.05
Min		1.00		1.00		1.00
P5		1.00		1.00		1.00
Q1		1.00		1.00		1.00
Median		3.00		2.00		3.00
Q3		5.00		4.00		5.00
P95		14.00		17.50		14.00
Max		29.00		29.00		29.00

Visit=16-month/160-month

V8HOSPDAY	Original cohort		New cohort		Total	
	N	%	N	%	N	%
NMiss		1,091		1,406		2,497
N		156		61		217
Mean		4.59		3.18		4.19
Std		5.59		3.29		5.09
Min		1.00		1.00		1.00
P5		1.00		1.00		1.00
Q1		1.50		1.00		1.00
Median		3.00		2.00		2.00
Q3		6.00		4.00		5.00
P95		15.00		10.00		14.00
Max		29.00		15.00		29.00