# **Telephone Interview Second Follow-up Visit**



MOST ID #	Acrostic	Date Interview Completed	Site
		Month Day Year	O SITE 1 O SITE 2
MOSTID Symptoms		V2_TIDIFF	

First, I will be asking you several questions about pain, aching, or stiffness in or around your knees.

# Right Knee

(

Knee

The first questions will be specifically about your right knee.

1. During the past 12 months, have you had any pain, aching, or stiffness in your right knee?

	G212MR	1 ○ Yes	i	O No		on't know/Refused
		or stiffness	<u>nonths</u> , have you had in your <u>right</u> knee on <u>e month</u> ?	Go to Qi	uestion #3.	
G212N	ISR <sup>1</sup> Yes	O No	O Don't know			

2. During the past 30 days, have you had any pain, aching, or stiffness in your right knee?


G230DR <sup>1</sup> Yes	ono No	Oon't know/Refused
	Go to Question #3	
<ul> <li>2a. During the past 30 days, have you had pain, a on most days?</li> <li>G230MSR 3 Yes</li> </ul>	aching, or stiffness in yo No	our <u>right</u> knee <sup>8</sup> Don't know

# MOST ID # Acrostic Image: Most id and the second second

## Left Knee

Now I'll ask you specifically about your left knee.

3. During the past 12 months, have you had any pain, aching, or stiffness in your left knee?





## Scoring for WOMAC<sup>©</sup> Likert 3.1

MOST uses a modified version of the WOMAC<sup>©</sup> Likert 3.1 instrument. WOMAC<sup>©</sup> is a registered trademark (CDN No. TMA 545,986), Copyright 1996 Nicholas Bellamy, All Rights Reserved. This copyrighted instrument may not be displayed. Therefore page 1, the bottom of page 2, the top and bottom of page 3, and all of pages 4, 5, 7, and 8 of the MOST Second Follow-up Self-Administered Questionnaire – Clinic are not being displayed.

Please go to: <u>http://www.womac.org</u> for more information about the WOMAC<sup>©</sup> Likert 3.1.

#### WOMAC<sup>©</sup> subscales

There are three WOMAC<sup>©</sup> subscales: pain, stiffness and disability. The time period covered by the subscales is the "past 30 days." Subscale scores are the sum of individual item scores for all items in the subscale.

#### <u>Knee pain</u>

The individual items in the pain subscale are:

Activity	Variable (right knee)	Variable (left knee)
Walking	G2Q1KR	G2Q1KL
Up stairs	G2UPR	G2UPL
Down stairs	G2DOWNR	G2DOWNL
Stairs (calculated)	G2Q2KR	G2Q2KL
In bed	G2Q3KR	G2Q3KL
Sit or lie down	G2Q4KR	G2Q4KL
Standing	G2Q5KR	G2Q5KL

Each knee pain item is scored on a 5-point scale:

- 0 = None
- 1 = Mild
- 2 = Moderate
- 3 =Severe
- 4 = Extreme
- $5 = \text{Don't do}^*$
- .M = Missing

\*The following variables have the 5 (don't do) scoring option: V2UPR, V2UPL, V2DOWNR, and V2DOWNL. "Don't do" is set to missing.

The pain subscale scores are calculated for the right and left knee separately. The pain subscale possible score range is 0-20.

<u>Score</u>	Variable (right knee	) Variable (left knee)
Pain subscale scores	G2WOPNKR	G2WOPNKL



#### Knee stiffness

The individual items in the stiffness subscale are:

<u>Activity</u>	Variable (right knee)	<u>Variable (left knee)</u>
In morning	G2Q6KR	G2Q6KL
Later in day	G2Q7KR	G2Q7KL

Each knee stiffness item is scored with the same scale used for knee pain, except the "5" scoring option (see previous page) is not available.

The stiffness subscale scores are calculated for the right and left knee separately. The stiffness subscale possible score range is 0-8.

<u>Score</u>

Variable (right knee)

Variable (left knee)

Stiffness subscale scores

**G2WOSTKR** 


G2WOSTKL

			·
	MOST ID #	Acrostic	
<b>T</b>			
Knee Symptoms			MOST

2. How bad has the pain been in your <u>right</u> knee, on average, in the <u>past 30 days</u>? Please mark an "X" on the line below: ("0" means "no pain" and "100" means "pain as bad as it could be")

0 10 20   -	<b>30 40</b>	50 60	) <b>70</b> Ⅰ↓Ⅰ	80 90	<b>100</b>
no					pain as bad
pain	Cli	inic Use Only			as it could be
			G2VASP	(R	

Note: WOMAC© was removed from this page. See "Scoring for WOMAC©" documentation on page [3].



Note: WOMAC© was removed from this page. See "Scoring for WOMAC©" documentation on page [3].

6. How bad has the <u>pain</u> been in your <u>left</u> knee, on average, in the <u>past 30 days</u>? Please mark an "X" on the line below. ("0" means "no pain" and "100" means "pain as bad as it could be")

$\begin{array}{c} 0 & 10 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $	20 30	<b>40</b>	50 	60 ++ <b> </b> ++++	<b>70</b>	80 ⊥⊤⊥ <b>↓</b> ⊥⊥⊥⊥	<b>90</b>	<b>100</b>
no								ain as bad
pain		Clinic U	se Only				as	it could be
				G	2VASKL	-		