

---

Data Set Name	V4ENROLL
Member Type	DATA
Engine	V9
Created	08/03/2021 10:01:27
Data Representation	WINDOWS_64
Observations	2715
Variables	99
Indexes	0
Observation Length	776
Deleted Observations	0
Compressed	NO
Sorted	YES

---

#	Variable	Type	Len	Format	Variables in Creation Order
1	MOSTID	Char	7	\$	MOST ID
2	SITE	Num	8		Clinic site
3	ID	Num	8		MOST ID numeric
4	ACROSTIC	Char	4	\$	Acrostic
5	SEX	Num	8	S_SEXF	Sex/Gender
6	V4_TIDIFF	Num	8		Calc: Months between first contact and third follow up Telephone Interview
7	V412MR	Num	8	YNDKX	TelInt/Knee Symp: Q1. Pain, aching, stiffness RIGHT knee, PAST 12 M
8	V412MSR	Num	8	YNDK	TelInt/Knee Symp: Q1a. Pain, aching, stiffness RIGHT knee, most days, >=1m, PAST 12 M
9	V430DR	Num	8	YNDKX	TelInt/Knee Symp: Q2. Pain, aching, stiffness, RIGHT knee, PAST 30 D
10	V430MSR	Num	8	YNDK	TelInt/Knee Symp: Q2a. Pain, aching, stiffness, RIGHT knee, most days, PAST 30 D
11	V4R_FKP	Char	2		Calc: Frequent knee pain at 72m, RIGHT knee
12	V412ML	Num	8	YNDKX	TelInt/Knee Symp: Q3. Pain, aching, stiffness LEFT knee, PAST 12 M
13	V412MSL	Num	8	YNDK	TelInt/Knee Symp: Q3a. Pain, aching, stiffness LEFT knee, most days, >=1m, PAST 12 M
14	V430DL	Num	8	YNDKX	TelInt/Knee Symp: Q4. Pain, aching, stiffness, LEFT knee, PAST 30 D
15	V430MSL	Num	8	YNDK	TelInt/Knee Symp: Q4a. Pain, aching, stiffness, LEFT knee, most days, PAST 30 D
16	V4L_FKP	Char	2		Calc: Frequent knee pain at 72m, LEFT knee
17	V4LA	Num	8	YNDKX	TelInt/Knee Symp: Q5. Limited activity due to pain/ach/stiff, EITHER knee, PAST 30 D
18	V4LADAY	Num	8		TelInt/Knee Symp: Q5a. D limit activ due to pain/ach/stiff, EITHER knee, PAST 30 D
19	V4AVOIDT	Num	8	YNDK	TelInt/Knee Symp: Q5b. Avoid activity due to pain/ach/stiff, EITHER knee, PAST 30 D
20	V4KBUCK	Num	8	YNDKX	TelInt/Knee Buckling: Q6.Knee buckled at least once? PAST 3 M
21	V4KBS	Num	8	LRB1X	TelInt/Knee Buckling: Q6a.Which knee buckled? PAST 3 M
22	V4KBTOT	Num	8	KBFREQ	TelInt/Knee Buckling: Q6b.Times knee buckled? PAST 3 M
23	V4FALL	Num	8	YNDK	TelInt/Knee Buckling: Q6c.Fall due to knee buckling? PAST 3 M
24	V4WLK	Num	8	YNDK	TelInt/Knee Buckling: Q6d.Activity when buckled-Walking? PAST 3 M
25	V4STAIRB	Num	8	YNDK	TelInt/Knee Buckling: Q6d.Activity when buckled-Up/Downstair? PAST 3 M
26	V4TWIST	Num	8	YNDK	TelInt/Knee Buckling: Q6d.Activity when buckled-Twisting? PAST 3 M
27	V4KBOT	Num	8	YNDK	TelInt/Knee Buckling: Q6d.Activity when buckled-Other? PAST 3 M
28	V4KBDK	Num	8	YNDK	TelInt/Knee Buckling: Q6d.Activity when buckled-DK PAST 3 M
29	V4KSLIP	Num	8	YNDKX	TelInt/Knee Buckling: Q7.Either knee felt like shifting? PAST 3 M
30	V4KSS	Num	8	LRB1X	TelInt/Knee Buckling: Q7a.Which knee felt like shifting? PAST 3 M
31	V4KSTOT	Num	8	KBFREQ	TelInt/Knee Buckling: Q7b.Times both knees felt like shifting? PAST 3 M
32	V4LMBUCK	Num	8	YNDKX	TelInt/Knee Buckling: Q8.Limit activity due to concern of knee buckling? PAST 3 M
33	V4LAR	Num	8	YNDKX	TelInt/Knee Injury:Q9. Injury limited ability to walk at least 2 days RIGHT knee, SINCE LAST CONTACT
34	V4LAL	Num	8	YNDKX	TelInt/Knee Injury:Q10. Injury limited ability to walk at least 2 days LEFT knee, SINCE LAST CONTACT
35	V4SURGR	Num	8	YNDKX	TelInt/Knee Surg: Q11. Surgery, RIGHT knee, SINCE LAST CONTACT
36	V4ARTR	Num	8	YNDK	TelInt/Knee Surg: Q12a. Arthroscopy done, RIGHT knee, SINCE LAST CONTACT
37	V4MENR	Num	8	YNDK	TelInt/Knee Surg: Q12b. Meniscectomy done, RIGHT knee, SINCE LAST CONTACT
38	V4LIGR	Num	8	YNDK	TelInt/Knee Surg: Q12c. Ligament repair done, RIGHT knee, SINCE LAST CONTACT
39	V4SOTHR	Num	8	YNDK	TelInt/Knee Surg: Q12e. Other surgery, RIGHT knee, SINCE LAST CONTACT

#	Variable	Type	Len	Format	Variables in Creation Order
40	V4SURGL	Num	8	YNDKX	Tellnt/Knee Surg: Q13. Surgery, LEFT knee, SINCE LAST CONTACT
41	V4ARTL	Num	8	YNDK	Tellnt/Knee Surg: Q14a. Arthroscopy done, LEFT knee, SINCE LAST CONTACT
42	V4MENL	Num	8	YNDK	Tellnt/Knee Surg: Q14b. Meniscectomy done, LEFT knee, SINCE LAST CONTACT
43	V4LIGL	Num	8	YNDK	Tellnt/Knee Surg: Q14c. Ligament repair done, LEFT knee, SINCE LAST CONTACT
44	V4SOTHL	Num	8	YNDK	Tellnt/Knee Surg: Q14e. Other surgery, LEFT knee, SINCE LAST CONTACT
45	V4ANYR	Num	8	YNDKX	Tellnt/Hip Symp: Q15. Pain, aching, stiffness RIGHT hip, PAST 30 D
46	V4HPN30R	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Pain, aching, stiffness RIGHT hip, most days, PAST 30 D
47	V4GRINR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: Groin, RIGHT hip
48	V4OTLGR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: Outside of leg, RIGHT hip
49	V4FRLGR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: Front of leg, RIGHT hip
50	V4BUTTR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: Buttocks, RIGHT hip
51	V4LWBKR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: Lower back, RIGHT hip
52	V4PNDKR	Num	8	YNDK	Tellnt/Hip Symp: Q15a. Location of pain, aching, stiffness: DK, RIGHT hip
53	V4ANYL	Num	8	YNDKX	Tellnt/Hip Symp: Q16. Pain, aching, stiffness LEFT hip, PAST 30 D
54	V4HPN30L	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Pain, aching, stiffness LEFT hip, most days, PAST 30 D
55	V4GRINL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: Groin, LEFT hip
56	V4OTLGL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: Outside of leg, LEFT hip
57	V4FRLGL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: Front of leg, LEFT hip
58	V4BUTTL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: Buttocks, LEFT hip
59	V4LWBKL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: Lower back, LEFT hip
60	V4PNDKL	Num	8	YNDK	Tellnt/Hip Symp: Q16a. Location of pain, aching, stiffness: DK, LEFT hip
61	V4ARTH	Num	8	YNDKX	Tellnt: Q21. Arthritis, MD TOLD SINCE LAST CONTACT
62	V4RA	Num	8	YNDK	Tellnt: Q21a. Type of arthritis - RA, MD TOLD SINCE LAST CONTACT
63	V4KNOA	Num	8	YNDK	Tellnt: Q21b. Type of arthritis - Knee OA, MD TOLD SINCE LAST CONTACT
64	V4HPOA	Num	8	YNDK	Tellnt: Q21c. Type of arthritis - Hip OA, MD TOLD SINCE LAST CONTACT
65	V4HFOA	Num	8	YNDK	Tellnt: Q21d. Type of arthritis - Hand or finger OA, MD TOLD SINCE LAST CONTACT
66	V4OJOA	Num	8	YNDK	Tellnt: Q21e. Type of arthritis - Other joint OA, MD TOLD SINCE LAST CONTACT
67	V4GOUT	Num	8	YNDK	Tellnt: Q21f. Type of arthritis - Gout, MD TOLD SINCE LAST CONTACT
68	V4OTH	Num	8	YNDK	Tellnt: Q21g. Type of arthritis - Other, MD TOLD SINCE LAST CONTACT
69	V4BONE	Num	8	YNDKX	Tellnt: Q22. Broke/fractured bone, MD TOLD SINCE LAST CONTACT
70	V4FXHIP	Num	8	YNDK	Tellnt: Q22a. Broke/fractured hip, MD TOLD SINCE LAST CONTACT
71	V4FXHND	Num	8	YNDK	Tellnt: Q22a. Broke/fractured hand/finger, MD TOLD SINCE LAST CONTACT
72	V4FXPLV	Num	8	YNDK	Tellnt: Q22a. Broke/fractured pelvis, MD TOLD SINCE LAST CONTACT
73	V4FXELB	Num	8	YNDK	Tellnt: Q22a. Broke/fractured elbow, MD TOLD SINCE LAST CONTACT
74	V4FXTHF	Num	8	YNDK	Tellnt: Q22a. Broke/fractured thigh-femur, MD TOLD SINCE LAST CONTACT
75	V4FXUPA	Num	8	YNDK	Tellnt: Q22a. Broke/fractured upper arm/shoulder, MD TOLD SINCE LAST CONTACT
76	V4FXKNE	Num	8	YNDK	Tellnt: Q22a. Broke/fractured knee, MD TOLD SINCE LAST CONTACT
77	V4FXCLB	Num	8	YNDK	Tellnt: Q22a. Broke/fractured collarbone, MD TOLD SINCE LAST CONTACT
78	V4FXLWL	Num	8	YNDK	Tellnt: Q22a. Broke/fractured lower leg, MD TOLD SINCE LAST CONTACT
79	V4FXRIB	Num	8	YNDK	Tellnt: Q22a. Broke/fractured ribs/chest/sternum, MD TOLD SINCE LAST CONTACT

#	Variable	Type	Len	Format	Variables in Creation Order
80	V4FXANK	Num	8	YNDK	TelInt: Q22a.Broke/fractured ankle, MD TOLD SINCE LAST CONTACT
81	V4SPINE	Num	8	YNDK	Q22a.Broke/frac - spine/back?
82	V4FXFTT	Num	8	YNDK	TelInt: Q22a.Broke/fractured foot/toe, MD TOLD SINCE LAST CONTACT
83	V4FXWRT	Num	8	YNDK	TelInt: Q22a.Broke/fractured wrist/forearm, MD TOLD SINCE LAST CONTACT
84	V4FXOTH	Num	8	YNDK	TelInt: Q22a.Broke/fractured other location, MD TOLD SINCE LAST CONTACT
85	V4FALLF	Num	8	YNDKX	TelInt/Falls: Q23.Afraid of falling?
86	V4FALLFF	Num	8	FFQ14X	TelInt/Falls: Q23a.Afraid of falling - how often?
87	V4FALLG	Num	8	YNDKX	TelInt/Falls: Q24.Fallen/landed on ground? PAST 12 M
88	V4FALLT	Num	8	RATE2XB	TelInt/Falls: Q24a.Number of falls? PAST 12 M
89	V4FALLIN	Num	8	YNDK	TelInt/Falls: Q24b.Injured as a result of a fall? PAST 12 M
90	V4FALLFX	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - fracture, PAST 12 M
91	V4FALLLC	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - laceration/cut, PAST 12 M
92	V4FALLBR	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - bruising, PAST 12 M
93	V4FALLSP	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - sprained/strained joint, PAST 12 M
94	V4FALLOT	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - Other, PAST 12 M
95	V4FALLDK	Num	8	YNDK	TelInt/Falls: Q24b.i.Injury - DK, PAST 12 M
96	V4FHEAD	Num	8	YNDK	TelInt/Falls: Q24b.ii.Injury - Head, PAST 12 M
97	V4FALLD	Num	8	YNDK	TelInt/Falls: Q24c.Receive treatment? PAST 12 M
98	V4FALLH	Num	8	YNDK	TelInt/Falls: Q24c.i.Overnight hospital treatment, PAST 12 M
99	V4FALLL	Num	8	YNDK	TelInt/Falls: Q24d.Limited activities 1+ day due to fall, PAST 12 M