



S
O
F

Online™

Study of Osteoporotic Fractures (SOF)

Study Collection Forms

Visit AA

Lifestyle

Diet

Form Type: Self-Administered Questionnaire

LEGEND:

Raw form variable names are located next to the question they represent and do not have a border around the variable name.

Calculated variable names are derived from other variables and have a border around the variable name. The calculated variables names are located in close proximity to the questions from which they were derived.

Some of the questions and measurements on these forms are not being released, and therefore no variable name is provided for them.

AACA


AACASUP

AAVTDSUP

Visit 6 Diet

At Visit 6, participants completed the Block Food Frequency Questionnaire, and the forms were sent to Block for scoring. Block then provided SOF with summary variables for daily intake of fat, protein, carbohydrates, nutrients, vitamins, etc. Because the data were compiled by Block, you will not find forms that link to the specific variables that have been provided here. For your reference, the food frequency questionnaire has been provided.

The version of the analysis file (Block95 BDDS Output Version 03) used to create these variables takes into account the Pyramid assumptions about serving size (e.g., $\frac{1}{2}$ cup vegetables = 1 serving). This is more accurate in terms of numbers of servings than were previous versions, which just counted the number of times the person ate the food, not the appropriate gram amounts. In addition, this version puts out four additional nutrients: genistein, daidzein, coumestrol and Vitamin D.



FOOD QUESTIONNAIRE

This form asks about your usual food intake over the past year. It takes about 30 minutes to complete. Please follow these instructions:

- Answer each question as best you can – estimate if you aren't sure.
- Use only a #2, ordinary pencil.
- Be certain to completely blacken in each of your answers, and erase completely if you make any changes.
- Do not make any other marks on this form.
- If you wish to make comments, please use a separate piece of paper.

11		LAST NAME	25		FIRST	MI
35						STREET ADDRESS
59		CITY	73			STATE
76		ZIP CODE				
86		PHONE NO.				

ID NUMBER

0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9

SOCIAL SECURITY NUMBER

0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9

SEX

- Male
 Female

AGE

0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9

WEIGHT pounds

0	0	0
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9

HEIGHT ft. in.

00	
01	
02	
03	
04	
05	
06	
07	
08	
09	
10	
11	

If female, are you pregnant or breast feeding?

- No
 Yes
 Not female

HHHQ.BLOCK.95 Phone or fax: (510) 704-8514

PLEASE DO NOT WRITE IN THIS AREA



22807

During the past year have you taken any vitamins or minerals regularly (at least once a week)?

- No Yes, fairly regularly Yes, but not regularly

IF YES, WHAT DO YOU TAKE FAIRLY REGULARLY?

VITAMIN TYPE	HOW OFTEN				FOR HOW MANY YEARS?					
	DON'T TAKE	1-3 DAYS PER WEEK	4-6 DAYS PER WEEK	EVERY DAY	LESS THAN 1 YR.	1 YEAR	2 YEARS	3-4 YEARS	5-9 YEARS	10+ YEARS
Multiple Vitamins										
Regular Once-A-Day, Centrum, or Thera type	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Antioxidant combination type	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Single Vitamins (not part of multiple vitamins)										
Vitamin A (not beta-carotene)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beta-carotene	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vitamin C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vitamin E	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Calcium or Tums	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Iron	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Zinc	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Selenium	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

If you take multiple vitamins

Do you usually take types that contain minerals (iron, zinc, etc.) do not contain minerals Don't know

If you take Vitamin C or Vitamin E:

How many milligrams of **vitamin C** do you usually take, on the days you take it?

- 100 250 500 750 1000 1500 2000 3000+

How many IUs of **vitamin E** do you usually take, on the days you take it?

- 100 200 300 400 600 800 1000 2000+

The next section is about your *usual* eating habits over the past year.

FIRST: Mark the column to show HOW OFTEN, on the average, you ate the food during the past year.

SECOND: Mark the column to show HOW MUCH you usually eat of each food.

- Sometimes the "how much" is asked as number of pieces, such as 1 egg, 2 eggs or 3 eggs.

Mark your serving size as the number you usually eat ON THE DAYS YOU EAT IT.

- Sometimes the "how much" is asked as small-medium-large (S-M-L).

A "medium" portion is shown for each food, but only as a guideline. The "medium" portion that will actually be used in the calculations is larger for men than for women, and larger for young people than for older people. Mark "small" if you think you usually eat a smaller portion of that food than other people of your age and sex. Mark "large" if you eat more of it than other people of your age and sex.

SAMPLE: This person eats one orange about twice a week, and eats a medium serving of other fruit about three times a week.

TYPE OF FOOD	HOW OFTEN								HOW MUCH			
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE		
										S	M	L
Oranges	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Other fruit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

DO NOT WRITE IN THIS SHADED AREA

PLEASE DO NOT WRITE IN THIS AREA

TYPE OF FOOD	HOW OFTEN								HOW MUCH				
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE			
										S	M	L	
EXAMPLE: Bananas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/> 1/2	<input checked="" type="radio"/> 1	<input type="radio"/> 2	
Bananas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2	
Apples, applesauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2	
Oranges (not including juice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2	
Grapefruit (not including juice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 medium	<input type="radio"/> 1/4	<input type="radio"/> 1/2	<input type="radio"/> 1	
Cantaloupe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/4 medium	<input type="radio"/> 1/8	<input type="radio"/> 1/4	<input type="radio"/> 1/2	
Peaches, apricots (fresh, in season)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium	<input type="radio"/> 1/2	<input type="radio"/> 1	<input type="radio"/> 2	
Peaches, apricots (canned or dried)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Prunes, or prune juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Watermelon (in season)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 slice	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Strawberries, other berries (in season)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Any other fruit, including kiwi, fruit cocktail, grapes, raisins, mangoes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
				1/ WEEK		3-4/ WEEK							
Fiber cereals like raisin bran, granola or shredded wheat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Sweetened cereals like frosted flakes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Other cold cereals like corn flakes or cheerios	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Cooked cereal like oatmeal, oat bran or grits	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Milk on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Breakfast bars, granola bars, power bars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 serving	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Breakfast shakes, diet shakes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 serving	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Pancakes or waffles	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 med.	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	
Eggs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 egg=sml. 2 eggs=med.	<input type="radio"/> egg	<input type="radio"/> eggs	<input type="radio"/> eggs	
Egg substitutes, Egg Beaters, egg whites	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 eggs	<input type="radio"/> egg	<input type="radio"/> eggs	<input type="radio"/> eggs	
Sausage or bacon	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 patties or pieces	<input type="radio"/> piece	<input type="radio"/> pieces	<input type="radio"/> pieces	
Cottage cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L	
Other cheeses and cheese spreads (regular or lowfat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices or 2 ounces	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	
Yogurt, frozen yogurt (regular or lowfat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. container	<input type="radio"/> 5 oz.	<input type="radio"/> 8 oz.	<input type="radio"/> 10 oz.	

22807

PLEASE DO NOT WRITE IN THIS AREA



	HOW OFTEN								HOW MUCH			
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE		
										S	M	L
VEGETABLES (fresh, frozen or canned, or in restaurants)												
String beans, green beans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Peas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chili with beans (with or without meat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other beans such as baked beans, pintos, kidney (not including soup)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Corn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Alfalfa sprouts, including on sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tomatoes, tomato juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Salsa, ketchup, taco sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Broccoli	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cauliflower or brussels sprouts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Spinach (cooked or raw)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mustard greens, turnip greens, collards	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cole slaw, cabbage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Carrots, or mixed vegetables containing carrots	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Green salad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Salad dressing & mayonnaise (regular or lowfat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
French fries and fried potatoes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
White potatoes not fried, including boiled, baked, mashed and in potato salad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sweet potatoes, yams	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Any other vegetable, such as cooked onions, summer squash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Butter, margarine or other fat added to veg., potatoes, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pats	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
✓ Tofu, bean curd	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
✓ Meat substitutes made from soy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup or patty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY				

22807

PLEASE DO NOT WRITE IN THIS AREA



TYPE OF FOOD	HOW OFTEN								HOW MUCH			
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	MEDIUM SERVING	YOUR SERVING SIZE		
										S	M	L
MEATS, SOUPS, PASTA												
Hamburgers, cheeseburgers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 4 oz.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Burritos or tacos with meat or beans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium or 2 small	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beef roasts, steaks, sandwiches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Liver, including chicken livers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pork, including chops, roasts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 chops or 4 ounces	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fried chicken	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chicken or turkey (roasted or broiled, including on sandwiches)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 small or 1 large pce.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chicken stew or mixed dish with chicken	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fried fish or fish sandwich	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4 ounces or 1 sandwich	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tuna, tuna salad, tuna casserole	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1/2 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oysters	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5 pieces, 1/4 cup or 3 oz.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Shell fish, (shrimp, crab, lobster, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5 pieces, 1/4 cup or 3 oz.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other fish (broiled or baked)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 pieces or 4 ounces	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beef or vegetable stew or pot pie with carrots and other vegetables	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Spaghetti, lasagna, other pasta with tomato sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 1/2 cups	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cheese dishes without tomato sauce, like macaroni and cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pasta salad, other pasta without tomato sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3/4 cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pizza	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices	<input type="radio"/> slice	<input type="radio"/> slices	<input type="radio"/> slices
Hot dogs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 hot dogs	<input type="radio"/> dog	<input type="radio"/> dogs	<input type="radio"/> dogs
Ham, bologna, other lunch meats (regular or made with turkey)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 slices or 2 ounces	<input type="radio"/> slice	<input type="radio"/> slices	<input type="radio"/> slices
Vegetable soups with carrots or tomatoes, such as vegetable beef or tomato soup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L
Lentil, pea and bean soups	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L
Other soups, like chicken noodle, mushroom, cup-a-soup, ramen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium bowl	<input type="radio"/> S	<input type="radio"/> M	<input type="radio"/> L
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY				

PLEASE DO NOT WRITE IN THIS AREA

TYPE OF FOOD	HOW OFTEN										HOW MUCH				
	NEVER OR LESS THAN ONCE PER MONTH	1 PER MON.	2-3 PER MON.	1 PER WEEK	2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	EVERY DAY	2+ PER DAY	MEDIUM SERVING	YOUR SERVING SIZE				
											S	M	L	XL	
BREADS, SNACKS, SPREADS (Please note that the categories for these columns are different.)															
Biscuits, muffins, (including fast foods)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium piece	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Bagels, English muffins, hamburger buns	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium piece	<input type="checkbox"/> 1/2	<input type="checkbox"/> 1	<input type="checkbox"/> 2		
White bread, French or Italian bread, including sandwiches	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	# slices each time	<input type="checkbox"/> slice	<input type="checkbox"/> slices	<input type="checkbox"/> slices		
Dark bread, such as whole wheat, rye, pumpernickel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	# slices each time	<input type="checkbox"/> slice	<input type="checkbox"/> slices	<input type="checkbox"/> slices		
Corn bread, corn muffins	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	# pieces each time	<input type="checkbox"/> piece	<input type="checkbox"/> pieces	<input type="checkbox"/> pieces		
Tortillas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	# slices each time	<input type="checkbox"/> tort.	<input type="checkbox"/> 2 tort.	<input type="checkbox"/> 3 tort.	<input type="checkbox"/> 4 tort.	
Snacks like nachos with cheese, potato skins with topping	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium serving	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	
Salty snacks, like potato chips, corn chips, popcorn, crackers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 handfuls or 1 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	
Peanuts, peanut butter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 tablesp.	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Margarine on bread or rolls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 pats	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Butter on bread or rolls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 pats	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Rice, or dishes made with rice	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3/4 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	
SWEETS															
		1/ MON.		1/ WEEK				1/ DAY							
Ice cream (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 scoop or 1/2 cup	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	
Doughnuts, pastry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 piece	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L	<input type="checkbox"/> XL	
Cookies or cake (regular or lowfat)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3-5 cookies	<input type="checkbox"/> 1-2	<input type="checkbox"/> 3-5	<input type="checkbox"/> 6-7	<input type="checkbox"/> 8+	
Pumpkin pie, sweet potato pie	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium slice	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Other pies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 medium slice	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Chocolate candy, candy bars	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 small bar or 1 oz.	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		
Other candy or jelly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3 pieces or 1 tblsp.	<input type="checkbox"/> S	<input type="checkbox"/> M	<input type="checkbox"/> L		



TYPE OF FOOD	HOW OFTEN										HOW MUCH		
	NEVER OR LESS THAN ONCE PER MONTH	1-3 PER MON	1 PER WEEK	2-4 PER WEEK	5-6 PER WEEK	1 PER DAY	2-3 PER DAY	4 PER DAY	5+ PER DAY	MEDIUM SERVING	YOUR SERVING SIZE		
											S	M	L
BEVERAGES (Please note that the categories for these columns are different.)													
Orange juice or grapefruit juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Apple juice, grape juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Whole milk (or chocolate whole milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2% milk (or chocolate 2% milk), not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Skim milk, 1% milk, not including on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Kool-Aid, Hi-C, or other drinks with added vitamin C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8 oz. glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Snapple, Calistoga, sweetened bottled waters or iced teas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Regular soft drinks (not diet soda)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12 oz. can or bottle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wine or wine coolers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium glass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Liquor	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 shot	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 medium cup	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Non-dairy creamer in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cream (real) or Half-and-Half in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Milk in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1 tablesp.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sugar or honey in coffee or tea or on cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2 teaspoons	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

About how often do you eat the following foods from restaurants or carry-outs? Remember to think about all meals (breakfast, lunch, dinner or snacks).

RESTAURANT FOOD	NUMBER OF VISITS LAST YEAR						
	NEVER IN PAST YEAR	1-4 TIMES PAST YEAR	5-11 TIMES PAST YEAR	1-3 TIMES A MONTH	ONCE A WEEK	2-4 TIMES A WEEK	ALMOST EVERY DAY
Fried chicken	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Burgers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pizza	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chinese food, Thai or other Asian food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mexican food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fried fish	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

DO NOT WRITE IN THIS SHADED AREA

SUMMARY QUESTIONS	AVERAGE USE LAST YEAR								
	LESS THAN ONCE PER WEEK	1-2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	1 PER DAY	1 1/2 PER DAY	2 PER DAY	3 PER DAY	4+ PER DAY
a. How often do you use fat or oil in cooking?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. About how many servings of vegetables do you eat, not counting salad or potatoes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. About how many servings of fruit do you eat, not counting juices?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. About how many servings of cold cereal do you eat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. About how many glasses of milk (or chocolate milk) do you drink?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What kinds of fat do you *usually* use in cooking (to fry or stir-fry)? Mark the one or two you use most often.

- Don't know
- Stick margarine
- Butter
- Pam or no oil
- Soft tub margarine
- Olive oil or canola oil
- Lard, fatback, baconfat
- Low calorie margarine
- Corn oil, vegetable oil
- Crisco shortening

What kinds of fat do you *usually* add to vegetables, potatoes, etc.? Mark the one or two you use most often.

- Don't add fat
- Stick margarine
- Butter
- Lard, fatback, baconfat
- Soft tub margarine
- Whipped butter
- Crisco shortening
- Low calorie margarine
- Olive oil

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food?

- | | | | |
|---------------------|--------------------------------------|---------------------------------|--------------------------------------|
| Cheese | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat |
| Ice cream or yogurt | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat |
| Salad dressing | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat |
| Cake or cookies | <input type="radio"/> Always low-fat | <input type="radio"/> Sometimes | <input type="radio"/> Rarely low-fat |

When you drink orange juice, how often do you drink a calcium-fortified brand?

- Usually
- Sometimes
- Rarely

How often do you add salt to your food?

- Seldom
- Sometimes
- Often

How often do you eat the skin on chicken?

- Seldom
- Sometimes
- Often

How often do you eat the fat on meat?

- Seldom
- Sometimes
- Often

How do you like your meat cooked?

- Rare
- Medium
- Well done

Do you smoke cigarettes now?

- No
- Yes IF YES, on the average, about how many cigarettes a day do you smoke now?
 - 1 - 5
 - 6 - 14
 - 15 - 24
 - 25 - 34
 - 35 or more

About how many times have you gone on a diet to lose weight?

- Never
- 1 - 2
- 3 - 5
- 6 - 8
- 9 - 11
- 12 or more

Is your health

- Excellent
- Very Good
- Good
- Fair
- Poor

What language do you usually speak at home?

- English
- Spanish
- Something else

Are you

- Hispanic
- White, not Hispanic
- African American
- Asian, Pacific Islander, Native American

THANK YOU VERY MUCH FOR TAKING THE TIME TO FILL OUT THIS QUESTIONNAIRE

Please take a moment to fill in any questions you may have skipped.

PLEASE DO NOT WRITE IN THIS AREA



22807